



Royal Residency, 66 Feet Road, Jalandhar 144020, Punjab triworld.17@gmail.com | www.triworldgroup.com

Date: 05.08.2020

To

The Joint Director Ministry of Environment, Forest & Climate Change, Regional Office (North) Government of India, Bay No. 24-25, Sector - 31 A, Chandigarh.

Subject: Submission of Six monthly report for period ending 31.03.2020 for the Residential Colony Project namely "Royal Residency" located at 66 ft. road, Village Kadianwali (HB No. 292), Jalandhar, Punjab by M/s Triworld Developers.

With reference to the EIA Notification & its amendments regarding submission of six monthly compliance report. We are hereby submitting the six monthly compliance report for period ending 31.03.2020 for the above said project in soft copy in compact disk (CD) of the compliance report for your perusal.

Kindly acknowledge the receipt of the same.

Thanking you.

Sincerely,

For TRPWMALTriworld

Agirdu Siyl (Authorized Signatopies)ner

Joginder Singh Name-

Contact No.- 98144-70000

Designation- Partner

:- triworld.17@gmail.com **Email**

CC: Member Secretary, SEIAA Punjab, Directorate of Environment and Climate Change, C/o Punjab State Council for Science & Technology, MGSIPA Complex, Sector 26- Chandigarh-160019.

SIX MONTHLY COMPLIANCE REPORT

(**Period ending 31.03.2020**)

For

Royal Residency

66 ft. road Village Kadianwali (HB No. 292), Jalandhar, Punjab

Project By:

M/s. Triworld Developers 66 ft. road Village Kadianwali (HB No. 292), Jalandhar, Punjab

Prepared by:



Eco Laboratories and Consultants Private Limited

E-207, Industrial Area, Phase-VIIIB (Sector-74), SAS Nagar (Mohali), Punjab ems@ecoparyavaran.org, www.ecoparyavaran.org Phone: 0172-4616225, 8872043178

CONTENT

S. No.	DESCRIPTION	Page No.		
1.	Data Sheet	1-3		
2.	Compliance of Environmental Clearance conditions	4-25		
	ANNEXURE			
3.	A-1:Copy of Environment Clearance	26-42		
4.	A-2: Photographs of the project	43-44		
5.	A-3: Copy of acknowledgement of CGWA			
6.	A-4: Permission from PSPCL	46-47		
7.	A-5: CLU	48-52		
8.	A-6: Test Reports of Ambient Air, Soil, Water & Noise	53-57		
9.	A-7: NOC from MC for Solid Waste Disposal	58-59		
10.	A-8: PUC certificate	60		
11.	A-9: Advertisement regarding EC	61-62		
12.	A-10: Screenshot	63		

Ministry of Environment, Forest and Climate Change Northern Regional Office, Chandigarh-160030

DATA SHEET

1.	Project Type	Residential Colony
2.	Name of the Project	Royal Residency
3.	Clearance letter (s)/O.M No. & dates	Environment Clearance has been granted by
		SEIAA, Punjab vide Letter No.
		DECC/SEIAA/2019/828/114 dated
		29.08.2019. Copy of the same is attached
		along as Annexure 1.
4.	Location	66 ft. road, Village Kadianwali (HB No.
		292), Jalandhar, Punjab.
	a) District (s)	Jalandhar
	b) State (s)	Punjab
	c) Latitudes/ Longitudes	31°14'57.09"N 75°34'14.99"E
5.	Address for correspondence	M/s Triworld Developers
		66 ft. road, Village Kadianwali (HB No.
		292), Jalandhar, Punjab.
6.	Salient features	
	a) of the project	As per the Environmental Clearance, the
		total area is 10.68 acres (or 43,220.42 sq.m.)
		and proposed built up area of the project is
		83,340.99 sq.m.
	b) of the environmental management	As per the Environmental Clearance, the
	plans	total water requirement for the project will
		be 192 KLD, which will be met through
		borewell. Total 153.6 KLD of waste water
		will be generated; out of which, 76.8 KLD of
		sewage (black water) will be treated in STP
		of 125 KLD capacity and remaining 76.8
		KLD of wastewater (grey water) will be
		treated in treatment plant of capacity 125
		KLD. The total quantity of 575 kg/day of
		solid waste will be generated from the
		project.
7.	Break-up of the project area	
	a) Submergence area: Forest and Non-	Not applicable

h) (
	Others	Not applicable
8. Brea	ak-up of project affected population	Not applicable
with	n enumeration of those losing	
hou	ses/dwelling units only, agricultural	
land	l only both dwelling units and	
agri	cultural land and landless labourers/	
artis	sans.	
	C/ST/Adivasis	Not applicable
b) (Others (Please indicate whether these	Not applicable
figu	res are based on any scientific and	
syste	ematic survey carried out or only	
_	visional figures. If a survey has been	
	ried out give details and year of survey)	
9. Fina	ancial details:	
a) I	Project cost as originally planned and	Total cost of the project is Rs. 67.33 Crores.
sub	sequent revised estimates and the year	
of p	rice reference.	
b)	Allocations made for environmental	The project proponent shall spend minimum
mar	nagement plans with item wise and	amount of Rs. 525 Lacs towards capital cost
year	r wise break up.	and Rs. 4.85 Lacs/annum towards recurring
		cost in construction phase of the project and
		shall spend minimum of amount Rs. 11 Lacs/
		annum towards recurring cost in operation
		phase of the project.
	Senefit cost ratio/internal rate of return	Will be calculated and submitted.
and	the year of assessment	
d)	Whether (c) includes the cost of	Yes
env	ironmental management as shown in	
b) a	bove.	
e) .	Actual expenditure incurred on the	Total expenditure incurred on the project is
pro	ject so far.	Rs 12.14 crores till 31st March, 2020.
f)	Actual expenditure incurred on	Total expenditure incurred on the EMP is Rs
	ironmental management plans so far.	3.5 Lakhs till 31st March, 2020.
10. For	est land requirement:	
a) t	he status of approval for diversion of	Not Applicable.
	st land for non-forestry use	
b) t	he status of clear felling, if any	Not Applicable.

	c) the status of compensatory afforestation, if any.	Not Applicable.
	d) Comments on the viability &	Not Applicable.
	sustainability of compensatory Afforestation programme in the light of	
	actual field experience so far.	
11.	The status of clear felling in non-forest	Not applicable
	areas (such as submergence area of	
	reservoir, approach road) if any, with	
	quantitative information	
12.	Status of construction:	Project is in construction phase.
		Photographs are attached along as Annexure
		2.
	a) Date of commencement (actual and/or	Actual date of commencement- 15.09.2019
	planned)	
	b) Date of completion (actual and/or	Planned date of completion- 01.01.2023
	planned)	
13.	Reasons for the delay, if the project is yet	Not applicable
	to start	

$\frac{Compliance\ Report\ on\ conditions\ imposed\ in\ Environmental\ Clearance\ for\ Period\ ending}{31.03.2020}$

I. Statutory Compliance

S.	Conditions	Reply
No.		
i.	The project proponent shall not use existing three borewells till the permission of ground water abstraction is obtained from CGWA.	Agreed. Application has already been submitted to CGWA for seeking permission regarding abstraction of ground water. Copy of the receipt is attached along as Annexure 3.
ii.	The project proponent shall obtain all necessary clearance/ permission from all relevant agencies including town planning authority before commencement of work. All the construction shall be done in accordance with the local building byelaws.	Agreed. The project proponent is obtaining all necessary clearance/ permission from all relevant agencies as and when required.
iii.	The approval of the competent authority shall be obtained for structural safety of the buildings due to earthquakes, adequacy of firefighting equipment's, etc. as per National Building Code including protection measures from lightening.	Agreed. The building has been designed in a way that it is earthquake resistant and as per NBC norms.
iv.	The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1986, in case of the diversion of forest land for non-forest purpose involved in the project.	Not applicable as there is no diversion of forest involved in the project.
V.	The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.	As no bird/ wildlife sanctuary falls within 10 km from the boundary of project location. Thus, there is no need to obtain permission from National Board of Wildlife Clearance.
vi.	The project proponent shall obtain Consent to Establish / Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State Pollution Control Board / Committee.	Consent to establish has been applied to PPCB and application is in process with RO. The copy of grant certificate will be submitted once it is received from department.
vii.	The project proponent shall obtain the necessary permission for drawl of ground water/ surface water required for the project from the competent authority.	Agreed. Application has already been submitted to CGWA for seeking permission regarding abstraction of ground water. Copy of the receipt is attached along as Annexure

		3.
viii.	A certificate of adequacy of available power from the agency supplying power to the project along with the load allowed for the project should be obtained.	The letter for permission from Punjab State Power Corporation limited has been obtained vide Memo No-659/ LICENSE-PAPRA ACT-1995/Gen15 dated 8-11-2017; copy is enclosed as Annexure 4.
ix.	All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department shall be obtained, as applicable, by project proponents from the respective competent authorities.	The project proponent is obtaining all necessary clearance/ permission from all relevant agencies as and when required.
X.	The provisions of the Solid Waste (Management) Rules, 2016, E-Waste (Management) Rules, 2016, Construction & Demolition Waste Rules, 2016 and the Plastics Waste (Management) Rules, 2016 shall be followed.	Agreed.
xi.	The project proponent shall follow ECBC/ECBC-R prescribed by Bureau of Energy Efficiency, Ministry of Power strictly.	It will be complied.
xii.	The project site shall confirm to the suitability as prescribed under the provisions laid down under the master plan of respective city/ town. For that, the project proponent shall either to submit the NOC/ land use conformity certificate from Deptt. of Town and Country Planning or other concerned Authority under whom jurisdiction, the site falls.	Agreed. CLU has been obtained which is enclosed as Annexure-5 .
xiii.	Besides above, the project proponent shall also comply with siting criteria / guidelines, standard operating practices, code of practice and guidelines if any prescribed by the SPCB/CPCB/MoEF&CC for such type of projects.	Agreed. The project proponent is complying with siting criteria by the SPCB/CPCB/MoEF&CC.

II. Air quality monitoring and preservation

S. No.	Conditions	Reply
i.	Notification GSR 94(E) dated 25.01.2018 of	Agreed. It is being complied.
	MoEF&CC regarding Mandatory	
	Implementation of Dust Mitigation Measures	

	for Construction and Demolition Activities for projects requiring Environmental Clearance shall be complied with.	
ii.	A management plan shall be drawn up and implemented to contain the current exceedance in ambient air quality at the site.	Agreed.
iii.	The project proponent shall install system to carryout Ambient Air Quality monitoring for common /criterion parameters relevant-to the main pollutants released (e.g. PM ₁₀ and PM _{2.5}) covering upwind and downwind directions during the construction period	Agreed. Ambient air quality is being monitored after every six months. Test reports of recently conducted monitoring is enclosed as Annexure-6 .
iv.	Diesel power generating sets proposed as source of backup power should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use of low sulphur diesel. The location of the DG sets may be decided with in consultation with State Pollution Control Board.	Agreed and same will be complied.
V.	Construction site shall be adequately barricaded before the construction begins. Dust, smoke & other air pollution prevention measures shall be provided for the building as well as the site. These measures shall include screens for the building under construction, continuous dust/ wind breaking walls all around the site (at least 3 meter height). Plastic/tarpaulin sheet covers shall be provided for vehicles bringing in sand, cement, murram and other construction materials prone to causing dust pollution at the site as well as taking out debris from the site.	Agreed. Dust mitigation measures are proposed like water sprinkling is followed, wind wall barriers, tarpaulin sheets are being used so that there is minimum impact on the environment.
vi.	Sand, murram, loose soil, cement, stored on site shall be covered adequately so as to prevent dust pollution.	Agreed.
vii.		Agreed. The top soil excavated during

	activities should be stored for use in	construction activities is being stored and will
	horticulture / landscape development within	be used for the development of green area
	the project site.	within the project site.
viii.	Wet jet shall be provided for grinding and	Agreed.
	stone cutting.	
ix.	Unpaved surfaces and loose soil shall be adequately sprinkled with water to suppress dust.	Agreed. Unpaved surfaces and loose soil is being sprinkled with water to suppress dust.
X.	All construction and demolition debris shall be stored at the site (and not dumped on the roads or open spaces outside) before they are properly disposed. All demolition and construction waste shall be managed as per the provisions of the Construction and Demolition Waste Rules 2016.	All construction and demolition debris shall be stored and managed as per the provisions of the Construction and Demolition Waste Rules, 2016.
xi.	The diesel generator sets to be used during construction phase shall be low sulphur diesel type and shall conform to Environmental (Protection) prescribed for air and noise emission standards.	Agreed. The diesel generator sets is being used during construction phase which is low sulphur diesel type.
xii.	The gaseous emissions from DG set shall be dispersed through adequate stack height as per CPCB standards. Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollution. Low sulphur diesel shall be used. The location of the DG set and exhaust pipe height shall be as per the provisions of the Central Pollution Control Board (CPCB) norms.	Agreed.
xiii.	For indoor air quality the ventilation provisions as per National Building Code of India.	Agreed. Ventilation provision will be provided as per NBC.

III. Water quality monitoring and preservation

S. No.	Conditions	Reply
i.	The natural drain system should be	Agreed and accepted.
	maintained for ensuring unrestricted flow of	
	water.	
ii.	No construction shall be allowed to obstruct	Natural drainage has not been intrupted.

the natural drainage through the site, on wetland and water bodies. Check dams, bioswales, landscape, and other sustainable urban drainage systems (SUDS) are allowed for maintaining the drainage pattern and to harvest rain water. iii. Buildings shall be designed to follow the natural topography as much as possible. Minimum cutting and filling should be done. iv. The total water requirement for the project will be 192 KL/day, out of which 149 KL /day shall be met through own tubewell and remaining 43 KL/day through recycling of treated waste water. Total fresh water use shall not exceed the proposed requirement as provided in the project details. v. a) The total wastewater generation from the project will be 153.6 KL/day, which will be treated in separate STPs i.e. of capacity @125 KLD for black stream (50%) and of capacity 125 KLD for grey stream (50%) to be installed on module system within the project premises. As proposed, reuse of treated wastewater and discharge of surplus treated wastewatershall be as under: Sr. Seasons For Green Into No. flushing Area sewer purposes (KLD) KLD* (KLD) 1. Summer 43 20.5 90.7 2. Winter 43 6.68 104.5 3. Rainy 43 1.8 109.4						
swales, landscape, and other sustainable urban drainage systems (SUDS) are allowed for maintaining the drainage pattern and to harvest rain water. iii. Buildings shall be designed to follow the natural topography as much as possible. Minimum cutting and filling should be done. iv. The total water requirement for the project will be 192 KL/day, out of which 149 KL /day shall be met through own tubewell and remaining 43 KL/day through recycling of treated waste water. Total fresh water use shall not exceed the proposed requirement as provided in the project details. v. a) The total wastewater generation from the project will be 153.6 KL/day, which will be treated in separate STPs i.e. of capacity @125 KLD for black stream (50%) and of capacity 125 KLD for grey stream (50%) to be installed on module system within the project premises. As proposed, reuse of treated wastewater and discharge of surplus treated wastewater shall be as under: Sr. Seasons For Green Into No. Popposes (KLD) (KLD		the natural drainage through the site, on				
urban drainage systems (SUDS) are allowed for maintaining the drainage pattern and to harvest rain water. iii. Buildings shall be designed to follow the natural topography as much as possible. Minimum cutting and filling should be done. iv. The total water requirement for the project will be 192 KL/day, out of which 149 KL /day shall be met through own tubewell and remaining 43 KL/day through recycling of treated waste water. Total fresh water use shall not exceed the proposed requirement as provided in the project details. v. a) The total wastewater generation from the project will be 153.6 KL/day, which will be treated in separate STPs i.e. of capacity @125 KLD for black stream (50%) and of capacity 125 KLD for grey stream (50%) to be installed on module system within the project premises. As proposed, reuse of treated wastewater and discharge of surplus treated wastewater shall be as under: Sr. Seasons For Green Into No. flushing Area sewer purposes (KLD) KLD* (KLD)		wetland and water bodies. Check dams, bio-				
for maintaining the drainage pattern and to harvest rain water. iii. Buildings shall be designed to follow the natural topography as much as possible. Minimum cutting and filling should be done. iv. The total water requirement for the project will be 192 KL/day, out of which 149 KL /day shall be met through own tubewell and remaining 43 KL/day through recycling of treated waste water. Total fresh water use shall not exceed the proposed requirement as provided in the project details. v. a) The total wastewater generation from the project will be 153.6 KL/day, which will be treated in separate STPs i.e. of capacity @125 KLD for black stream (50%) and of capacity 125 KLD for grey stream (50%) and of capacity 125 KLD for grey stream (50%) to be installed on module system within the project premises. As proposed, reuse of treated wastewater and discharge of surplus treated wastewater shall be as under: Sr. Seasons For Green Into No. flushing Area sewer purposes (KLD) KLD* (KLD)		swales, landsca	cape, and other sustainable			
harvest rain water. iii. Buildings shall be designed to follow the natural topography as much as possible. Minimum cutting and filling should be done. iv. The total water requirement for the project will be 192 KL/day, out of which 149 KL /day shall be met through own tubewell and remaining 43 KL/day through recycling of treated waste water. Total fresh water use shall not exceed the proposed requirement as provided in the project details. v. a) The total wastewater generation from the project will be 153.6 KL/day, which will be treated in separate STPs i.e. of capacity @125 KLD for black stream (50%) and of capacity 125 KLD for grey stream (50%) to be installed on module system within the project premises. As proposed, reuse of treated wastewater and discharge of surplus treated wastewater shall be as under: Sr. Seasons For Green Into No. Sr. Seasons For Green Into Area sewer purposes (KLD) 1. Summer 43 20.5 90.7 2. Winter 43 6.68 104.5		urban drainage	systems (SUDS) are allowed			
iii. Buildings shall be designed to follow the natural topography as much as possible. Minimum cutting and filling should be done. iv. The total water requirement for the project will be 192 KL/day, out of which 149 KL /day shall be met through own tubewell and remaining 43 KL/day through recycling of treated waste water. Total fresh water use shall not exceed the proposed requirement as provided in the project details. v. a) The total wastewater generation from the project will be 153.6 KL/day, which will be treated in separate STPs i.e. of capacity @125 KLD for black stream (50%) and of capacity 125 KLD for grey stream (50%) to be installed on module system within the project premises. As proposed, reuse of treated wastewater and discharge of surplus treated wastewater shall be as under: Sr. Seasons For Green Into No. Seasons For Green Into KLD* (KLD) 1. Summer 43 20.5 90.7 2. Winter 43 6.68 104.5		for maintaining	the drainage pattern and to			
iv. The total water requirement for the project will be 192 KL/day, out of which 149 KL /day shall be met through own tubewell and remaining 43 KL/day through recycling of treated waste water. Total fresh water use shall not exceed the proposed requirement as provided in the project details. v. a) The total wastewater generation from the project will be 153.6 KL/day, which will be treated in separate STPs i.e. of capacity @125 KLD for black stream (50%) and of capacity 125 KLD for grey stream (50%) to be installed on module system within the project premises. As proposed, reuse of treated wastewater and discharge of surplus treated wastewater shall be as under: Sr. Seasons For Green Into No. Seasons For Green Into Area sewer purposes (KLD) (KLD) 1. Summer 43 20.5 90.7 2. Winter 43 6.68 104.5		harvest rain water	er.			
Minimum cutting and filling should be done. iv. The total water requirement for the project will be 192 KL/day, out of which 149 KL /day shall be met through own tubewell and remaining 43 KL/day through recycling of treated waste water. Total fresh water use shall not exceed the proposed requirement as provided in the project details. v. a) The total wastewater generation from the project will be 153.6 KL/day, which will be treated in separate STPs i.e. of capacity @125 KLD for black stream (50%) and of capacity 125 KLD for grey stream (50%) to be installed on module system within the project premises. As proposed, reuse of treated wastewater and discharge of surplus treated wastewater shall be as under: Sr. Seasons For Green Into No. Green Into Rushing Area sewer purposes (KLD) KLD* (KLD) 1. Summer 43 20.5 90.7 2. Winter 43 6.68 104.5	iii.	Buildings shall	be design	ed to fo	llow the	Agreed.
iv. The total water requirement for the project will be 192 KL/day, out of which 149 KL /day shall be met through own tubewell and remaining 43 KL/day through recycling of treated waste water. Total fresh water use shall not exceed the proposed requirement as provided in the project details. v. a) The total wastewater generation from the project will be 153.6 KL/day, which will be treated in separate STPs i.e. of capacity @125 KLD for black stream (50%) and of capacity 125 KLD for grey stream (50%) to be installed on module system within the project premises. As proposed, reuse of treated wastewater and discharge of surplus treated wastewater shall be as under: Sr. Seasons For Green Into Rushing Area sewer purposes (KLD) 1. Summer 43 20.5 90.7 2. Winter 43 6.68 104.5		natural topogra	phy as m	uch as	possible.	
will be 192 KL/day, out of which 149 KL /day shall be met through own tubewell and remaining 43 KL/day through recycling of treated waste water. Total fresh water use shall not exceed the proposed requirement as provided in the project details. v. a) The total wastewater generation from the project will be 153.6 KL/day, which will be treated in separate STPs i.e. of capacity @125 KLD for black stream (50%) and of capacity 125 KLD for grey stream (50%) to be installed on module system within the project premises. As proposed, reuse of treated wastewater and discharge of surplus treated wastewater shall be as under: Sr. Seasons For Green Into No. Seasons For Green Into No. Green KLD) L. Summer 43 20.5 90.7 2. Winter 43 6.68 104.5		Minimum cuttin	g and filling	g should l	oe done.	
/day shall be met through own tubewell and remaining 43 KL/day through recycling of treated waste water. Total fresh water use shall not exceed the proposed requirement as provided in the project details. v. a) The total wastewater generation from the project will be 153.6 KL/day, which will be treated in separate STPs i.e. of capacity @125 KLD for black stream (50%) and of capacity 125 KLD for grey stream (50%) to be installed on module system within the project premises. As proposed, reuse of treated wastewater and discharge of surplus treated wastewater shall be as under: Sr. Seasons For Green Into flushing Area sewer purposes (KLD) KLD* (KLD) 1. Summer 43 20.5 90.7 2. Winter 43 6.68 104.5	iv.	The total water	requiremen	nt for the	e project	Agreed. Total fresh water use will not exceed
/day shall be met through own tubewell and remaining 43 KL/day through recycling of treated waste water. Total fresh water use shall not exceed the proposed requirement as provided in the project details. v. a) The total wastewater generation from the project will be 153.6 KL/day, which will be treated in separate STPs i.e. of capacity @125 KLD for black stream (50%) and of capacity 125 KLD for grey stream (50%) to be installed on module system within the project premises. As proposed, reuse of treated wastewater and discharge of surplus treated wastewater shall be as under: Sr. Seasons For Green Into Rushing Area sewer purposes (KLD) KLD* (KLD) 1. Summer 43 20.5 90.7 2. Winter 43 6.68 104.5		will be 192 KL	/day, out o	of which	149 KL	the proposed requirement as provided in the
remaining 43 KL/day through recycling of treated waste water. Total fresh water use shall not exceed the proposed requirement as provided in the project details. v. a) The total wastewater generation from the project will be 153.6 KL/day, which will be treated in separate STPs i.e. of capacity @125 KLD for black stream (50%) and of capacity 125 KLD for grey stream (50%) to be installed on module system within the project premises. As proposed, reuse of treated wastewater and discharge of surplus treated wastewater shall be as under: Sr. Seasons For Green Into No.		/day shall be me	et through o	own tube	well and	
shall not exceed the proposed requirement as provided in the project details. v. a) The total wastewater generation from the project will be 153.6 KL/day, which will be treated in separate STPs i.e. of capacity @125 KLD for black stream (50%) and of capacity 125 KLD for grey stream (50%) to be installed on module system within the project premises. As proposed, reuse of treated wastewater and discharge of surplus treated wastewater shall be as under: Sr. Seasons For Green Into No. Flushing Area sewer purposes (KLD) KLD* (KLD) 1. Summer 43 20.5 90.7 2. Winter 43 6.68 104.5		remaining 43 K	L/day thro	ough recy	cling of	
v. a) The total wastewater generation from the project will be 153.6 KL/day, which will be treated in separate STPs i.e. of capacity @125 KLD for black stream (50%) and of capacity 125 KLD for grey stream (50%) to be installed on module system within the project premises. As proposed, reuse of treated wastewater and discharge of surplus treated wastewater shall be as under: Sr. Seasons For Green Into Rushing Area sewer purposes (KLD) KLD* (KLD) 1. Summer 43 20.5 90.7 2. Winter 43 6.68 104.5		treated waste w	vater. Total	fresh w	ater use	
v. a) The total wastewater generation from the project will be 153.6 KL/day, which will be treated in separate STPs i.e. of capacity @125 KLD for black stream (50%) and of capacity 125 KLD for grey stream (50%) to be installed on module system within the project premises. As proposed, reuse of treated wastewater and discharge of surplus treated wastewater shall be as under: Sr. Seasons For Green Into RLD* (KLD) Summer 43 20.5 90.7 2. Winter 43 6.68 104.5						
the project will be 153.6 KL/day, which will be treated in separate STPs i.e. of capacity @125 KLD for black stream (50%) and of capacity 125 KLD for grey stream (50%) to be installed on module system within the project premises. As proposed, reuse of treated wastewater and discharge of surplus treated wastewater shall be as under: Sr. Seasons For Green Into Rushing Area sewer purposes (KLD) KLD* (KLD)						
the project will be 153.6 KL/day, which will be treated in separate STPs i.e. of capacity @125 KLD for black stream (50%) and of capacity 125 KLD for grey stream (50%) to be installed on module system within the project premises. As proposed, reuse of treated wastewater and discharge of surplus treated wastewater shall be as under: Sr. Seasons For Green Into Rushing Area sewer purposes (KLD) KLD* (KLD)	v.	a) The total wastewater generation from			Waste water generated will be treated in STP	
STPs i.e. of capacity @125 KLD for black stream (50%) and of capacity 125 KLD for grey stream (50%) to be installed on module system within the project premises. As proposed, reuse of treated wastewater and discharge of surplus treated wastewater shall be as under: Sr. Seasons For Green Into Sewer purposes (KLD) KLD* (KLD) 1. Summer 43 20.5 90.7 2. Winter 43 6.68 104.5					of adequate capacity.	
black stream (50%) and of capacity 125 KLD for grey stream (50%) to be installed on module system within the project premises. As proposed, reuse of treated wastewater and discharge of surplus treated wastewater shall be as under: Sr. Seasons For Green Into No. flushing Area sewer purposes (KLD) KLD* (KLD) 1. Summer 43 20.5 90.7 2. Winter 43 6.68 104.5						
125 KLD for grey stream (50%) to be installed on module system within the project premises. As proposed, reuse of treated wastewater and discharge of surplus treated wastewater shall be as under: Sr. Seasons For Green Into No. flushing Area sewer purposes (KLD) KLD* (KLD) 1. Summer 43 20.5 90.7 2. Winter 43 6.68 104.5		± *				
installed on module system within the project premises. As proposed, reuse of treated wastewater and discharge of surplus treated wastewater shall be as under: Sr. Seasons For Green Into flushing Area sewer purposes (KLD) KLD*						
project premises. As proposed, reuse of treated wastewater and discharge of surplus treated wastewater shall be as under: Sr. Seasons For Green Into flushing Area sewer purposes (KLD) KLD* (KLD) 1. Summer 43 20.5 90.7 2. Winter 43 6.68 104.5						
of treated wastewater and discharge of surplus treated wastewater shall be as under: Sr. Seasons For Green Into flushing Area sewer purposes (KLD) KLD* (KLD) 1. Summer 43 20.5 90.7 2. Winter 43 6.68 104.5				-		
of surplus treated wastewater shall be as under: Sr. Seasons For Green Into Sewer Purposes (KLD) 1. Summer 43 20.5 90.7 2. Winter 43 6.68 104.5						
Sr. Seasons No. For flushing purposes (KLD) Green sewer KLD* 1. Summer 43 20.5 90.7 2. Winter 43 6.68 104.5						
No. flushing purposes (KLD) KLD* KLD*						
purposes (KLD) KLD* (KLD) 1. Summer 43 20.5 90.7 2. Winter 43 6.68 104.5						
1. Summer 43 20.5 90.7 2. Winter 43 6.68 104.5		No.	_			
1. Summer 43 20.5 90.7 2. Winter 43 6.68 104.5				(KLD)	KLD*	
2. Winter 43 6.68 104.5		1 Summer	` ′	20.5	90.7	

Note-*in case, the MC sewer is not connected with the project site at the operational stage of the project than the project proponent will lay down the sewer line connecting to main MC Sewer which is only 1.5 km (approx.) from project site at its own cost arrangement as undertaken. Alternatively, project proponent shall purchase, adjacent agricultural land of 1.5 acre, in case of delay in connection with MC sewer for disposal of treated sewage through Karnal Technology (to utilize maximum 110 KLD of treated wastewater) on purchase land as undertaken by Project Proponent. In case of lack of arrangement of disposal of treated sewage as proposed above, project proponent will not sell any flat to occupants under the project. b) Storage tank of adequate capacity shall be provided for the storage of treated wastewater and all efforts shall be made to supply the same for construction purposes. c) During construction phase, the project proponent shall ensure that the waste water being generated from the labour quarters/toilets shall be treated and disposed in environment friendly manner. The project proponent shall also exercise the option of modular bio-toilets or will provide proper and adequately design septic tanks for the treatment of such waste water and treated effluents shall be utilized for green area/plantation. vi. The project proponent shall ensure safe drinking water shall be provided, if required		37 . 47	
operational stage of the project than the project proponent will lay down the sewer line connecting to main MC Sewer which is only 1.5 km (approx.) from project site at its own cost arrangement as undertaken. Alternatively, project proponent shall purchase, adjacent agricultural land of 1.5 acre, in case of delay in connection with MC sewer for disposal of treated sewage through Karnal Technology (to utilize maximum 110 KLD of treated wastewater) on purchase land as undertaken by Project Proponent. In case of lack of arrangement of disposal of treated sewage as proposed above, project proponent will not sell any flat to occupants under the project. b) Storage tank of adequate capacity shall be provided for the storage of treated wastewater and all efforts shall be made to supply the same for construction purposes. c) During construction phase, the project proponent shall ensure that the waste water being generated from the labour quarters/toilets shall be treated and disposed in environment friendly manner. The project proponent shall also exercise the option of modular bio-toilets or will provide proper and adequately design septic tanks for the treatment of such waste water and treated effluents shall be utilized for green area/plantation. vi. The project proponent shall ensure safe drinking water shall be provided, if required		, and the second	
project proponent will lay down the sewer line connecting to main MC Sewer which is only 1.5 km (approx.) from project site at its own cost arrangement as undertaken. Alternatively, project proponent shall purchase, adjacent agricultural land of 1.5 acre, in case of delay in connection with MC sewer for disposal of treated sewage through Karnal Technology (to utilize maximum 110 KLD of treated wastewater) on purchase land as undertaken by Project Proponent. In case of lack of arrangement of disposal of treated sewage as proposed above, project proponent will not sell any flat to occupants under the project. b) Storage tank of adequate capacity shall be provided for the storage of treated wastewater and all efforts shall be made to supply the same for construction purposes. c) During construction phase, the project proponent shall ensure that the waste water being generated from the labour quarters/foilets shall be treated and disposed in environment friendly manner. The project proponent shall also exercise the option of modular bio-toilets or will provide proper and adequately design septic tanks for the treatment of such waste water and treated effluents shall be utilized for green area/plantation. vi. The project proponent shall ensure safe drinking water supply to the habitants. Adequate treatment facility for drinking water will be provided.			
line connecting to main MC Sewer which is only 1.5 km (approx.) from project site at its own cost arrangement as undertaken. Alternatively, project proponent shall purchase, adjacent agricultural land of 1.5 acre, in case of delay in connection with MC sewer for disposal of treated sewage through Karnal Technology (to utilize maximum 110 KLD of treated wastewater) on purchase land as undertaken by Project Proponent. In case of lack of arrangement of disposal of treated sewage as proposed above, project proponent will not sell any flat to occupants under the project. b) Storage tank of adequate capacity shall be provided for the storage of treated wastewater and all efforts shall be made to supply the same for construction purposes. c) During construction phase, the project proponent shall ensure that the waste water being generated from the labour quarters/foilets shall be treated and disposed in environment friendly manner. The project proponent shall also exercise the option of modular bio-toilets or will provide proper and adequately design septic tanks for the treatment of such waste water and treated effluents shall be utilized for green area/plantation. vi. The project proponent shall ensure safe drinking water supply to the habitants. Adequate treatment facility for drinking water shall be provided, if required		operational stage of the project than the	
is only 1.5 km (approx.) from project site at its own cost arrangement as undertaken. Alternatively, project proponent shall purchase, adjacent agricultural land of 1.5 acre, in case of delay in connection with MC sewer for disposal of treated sewage through Karnal Technology (to utilize maximum 110 KLD of treated wastewater) on purchase land as undertaken by Project Proponent. In case of lack of arrangement of disposal of treated sewage as proposed above, project proponent will not sell any flat to occupants under the project. b) Storage tank of adequate capacity shall be provided for the storage of treated wastewater and all efforts shall be made to supply the same for construction purposes. c) During construction phase, the project proponent shall ensure that the waste water being generated from the labour quarters/foilets shall be treated and disposed in environment friendly manner. The project proponent shall also exercise the option of modular bio-toilets or will provide proper and adequately design septic tanks for the treatment of such waste water and treated effluents shall be utilized for green area/plantation. vi. The project proponent shall ensure safe drinking water supply to the habitants. Adequate treatment facility for drinking water shall be provided, if required		project proponent will lay down the sewer	
at its own cost arrangement as undertaken. Alternatively, project proponent shall purchase, adjacent agricultural land of 1.5 acre, in case of delay in connection with MC sewer for disposal of treated sewage through Karnal Technology (to utilize maximum 110 KLD of treated wastewater) on purchase land as undertaken by Project Proponent. In case of lack of arrangement of disposal of treated sewage as proposed above, project proponent will not sell any flat to occupants under the project. b) Storage tank of adequate capacity shall be provided for the storage of treated wastewater and all efforts shall be made to supply the same for construction purposes. c) During construction phase, the project proponent shall ensure that the waste water being generated from the labour quarters/toilets shall be treated and disposed in environment friendly manner. The project proponent shall also exercise the option of modular bio-toilets or will provide proper and adequately design septic tanks for the treatment of such waste water and treated effluents shall be tuilized for green area/plantation. vi. The project proponent shall ensure safe drinking water supply to the habitants. Adequate treatment facility for drinking water shall be provided, if required		line connecting to main MC Sewer which	
Alternatively, project proponent shall purchase, adjacent agricultural land of 1.5 acre, in case of delay in connection with MC sewer for disposal of treated sewage through Karnal Technology (to utilize maximum 110 KLD of treated wastewater) on purchase land as undertaken by Project Proponent. In case of lack of arrangement of disposal of treated sewage as proposed above, project proponent will not sell any flat to occupants under the project. b) Storage tank of adequate capacity shall be provided for the storage of treated wastewater and all efforts shall be made to supply the same for construction purposes. c) During construction phase, the project proponent shall ensure that the waste water being generated from the labour quarters/toilets shall be treated and disposed in environment friendly manner. The project proponent shall also exercise the option of modular bio-toilets or will provide proper and adequately design septic tanks for the treatment of such waste water and treated effluents shall be utilized for green area/plantation. vi. The project proponent shall ensure safe drinking water supply to the habitants. Adequate treatment facility for drinking water will be provided.		is only 1.5 km (approx.) from project site	
purchase, adjacent agricultural land of 1.5 acre, in case of delay in connection with MC sewer for disposal of treated sewage through Karnal Technology (to utilize maximum 110 KLD of treated wastewater) on purchase land as undertaken by Project Proponent. In case of lack of arrangement of disposal of treated sewage as proposed above, project proponent will not sell any flat to occupants under the project. b) Storage tank of adequate capacity shall be provided for the storage of treated wastewater and all efforts shall be made to supply the same for construction purposes. c) During construction phase, the project proponent shall ensure that the waste water being generated from the labour quarters/toilets shall be treated and disposed in environment friendly manner. The project proponent shall also exercise the option of modular bio-toilets or will provide proper and adequately design septic tanks for the treatment of such waste water and treated effluents shall be utilized for green area/plantation. vi. The project proponent shall ensure safe drinking water supply to the habitants. Adequate treatment facility for drinking water shall be provided, if required		at its own cost arrangement as undertaken.	
acre, in case of delay in connection with MC sewer for disposal of treated sewage through Karnal Technology (to utilize maximum 110 KLD of treated wastewater) on purchase land as undertaken by Project Proponent. In case of lack of arrangement of disposal of treated sewage as proposed above, project proponent will not sell any flat to occupants under the project. b) Storage tank of adequate capacity shall be provided for the storage of treated wastewater and all efforts shall be made to supply the same for construction purposes. c) During construction phase, the project proponent shall ensure that the waste water being generated from the labour quarters/toilets shall be treated and disposed in environment friendly manner. The project proponent shall also exercise the option of modular bio-toilets or will provide proper and adequately design septic tanks for the treatment of such waste water and treated effluents shall be utilized for green area/plantation. vi. The project proponent shall ensure safe drinking water supply to the habitants. Adequate treatment facility for drinking water will be provided.		Alternatively, project proponent shall	
acre, in case of delay in connection with MC sewer for disposal of treated sewage through Karnal Technology (to utilize maximum 110 KLD of treated wastewater) on purchase land as undertaken by Project Proponent. In case of lack of arrangement of disposal of treated sewage as proposed above, project proponent will not sell any flat to occupants under the project. b) Storage tank of adequate capacity shall be provided for the storage of treated wastewater and all efforts shall be made to supply the same for construction purposes. c) During construction phase, the project proponent shall ensure that the waste water being generated from the labour quarters/toilets shall be treated and disposed in environment friendly manner. The project proponent shall also exercise the option of modular bio-toilets or will provide proper and adequately design septic tanks for the treatment of such waste water and treated effluents shall be utilized for green area/plantation. vi. The project proponent shall ensure safe drinking water supply to the habitants. Adequate treatment facility for drinking water will be provided.		purchase, adjacent agricultural land of 1.5	
MC sewer for disposal of treated sewage through Karnal Technology (to utilize maximum 110 KLD of treated wastewater) on purchase land as undertaken by Project Proponent. In case of lack of arrangement of disposal of treated sewage as proposed above, project proponent will not sell any flat to occupants under the project. b) Storage tank of adequate capacity shall be provided for the storage of treated wastewater and all efforts shall be made to supply the same for construction purposes. c) During construction phase, the project proponent shall ensure that the waste water being generated from the labour quarters/toilets shall be treated and disposed in environment friendly manner. The project proponent shall also exercise the option of modular bio-toilets or will provide proper and adequately design septic tanks for the treatment of such waste water and treated effluents shall be utilized for green area/plantation. vi. The project proponent shall ensure safe drinking water supply to the habitants. Adequate treatment facility for drinking water will be provided.			
through Karnal Technology (to utilize maximum 110 KLD of treated wastewater) on purchase land as undertaken by Project Proponent. In case of lack of arrangement of disposal of treated sewage as proposed above, project proponent will not sell any flat to occupants under the project. b) Storage tank of adequate capacity shall be provided for the storage of treated wastewater and all efforts shall be made to supply the same for construction purposes. c) During construction phase, the project proponent shall ensure that the waste water being generated from the labour quarters/toilets shall be treated and disposed in environment friendly manner. The project proponent shall also exercise the option of modular bio-toilets or will provide proper and adequately design septic tanks for the treatment of such waste water and treated effluents shall be utilized for green area/plantation. vi. The project proponent shall ensure safe drinking water supply to the habitants. Adequate treatment facility for drinking water shall be provided, if required		_	
maximum 110 KLD of treated wastewater) on purchase land as undertaken by Project Proponent. In case of lack of arrangement of disposal of treated sewage as proposed above, project proponent will not sell any flat to occupants under the project. b) Storage tank of adequate capacity shall be provided for the storage of treated wastewater and all efforts shall be made to supply the same for construction purposes. c) During construction phase, the project proponent shall ensure that the waste water being generated from the labour quarters/toilets shall be treated and disposed in environment friendly manner. The project proponent shall also exercise the option of modular bio-toilets or will provide proper and adequately design septic tanks for the treatment of such waste water and treated effluents shall be utilized for green area/plantation. vi. The project proponent shall ensure safe drinking water supply to the habitants. Adequate treatment facility for drinking water shall be provided, if required			
on purchase land as undertaken by Project Proponent. In case of lack of arrangement of disposal of treated sewage as proposed above, project proponent will not sell any flat to occupants under the project. b) Storage tank of adequate capacity shall be provided for the storage of treated wastewater and all efforts shall be made to supply the same for construction purposes. c) During construction phase, the project proponent shall ensure that the waste water being generated from the labour quarters/toilets shall be treated and disposed in environment friendly manner. The project proponent shall also exercise the option of modular bio-toilets or will provide proper and adequately design septic tanks for the treatment of such waste water and treated effluents shall be utilized for green area/plantation. vi. The project proponent shall ensure safe drinking water supply to the habitants. Adequate treatment facility for drinking water shall be provided, if required			
Proponent. In case of lack of arrangement of disposal of treated sewage as proposed above, project proponent will not sell any flat to occupants under the project. b) Storage tank of adequate capacity shall be provided for the storage of treated wastewater and all efforts shall be made to supply the same for construction purposes. c) During construction phase, the project proponent shall ensure that the waste water being generated from the labour quarters/toilets shall be treated and disposed in environment friendly manner. The project proponent shall also exercise the option of modular bio-toilets or will provide proper and adequately design septic tanks for the treatment of such waste water and treated effluents shall be utilized for green area/plantation. vi. The project proponent shall ensure safe drinking water supply to the habitants. Adequate treatment facility for drinking water shall be provided, if required		· ·	
In case of lack of arrangement of disposal of treated sewage as proposed above, project proponent will not sell any flat to occupants under the project. b) Storage tank of adequate capacity shall be provided for the storage of treated wastewater and all efforts shall be made to supply the same for construction purposes. c) During construction phase, the project proponent shall ensure that the waste water being generated from the labour quarters/toilets shall be treated and disposed in environment friendly manner. The project proponent shall also exercise the option of modular bio-toilets or will provide proper and adequately design septic tanks for the treatment of such waste water and treated effluents shall be utilized for green area/plantation. vi. The project proponent shall ensure safe drinking water supply to the habitants. Adequate treatment facility for drinking water shall be provided, if required			
of treated sewage as proposed above, project proponent will not sell any flat to occupants under the project. b) Storage tank of adequate capacity shall be provided for the storage of treated wastewater and all efforts shall be made to supply the same for construction purposes. c) During construction phase, the project proponent shall ensure that the waste water being generated from the labour quarters/toilets shall be treated and disposed in environment friendly manner. The project proponent shall also exercise the option of modular bio-toilets or will provide proper and adequately design septic tanks for the treatment of such waste water and treated effluents shall be utilized for green area/plantation. vi. The project proponent shall ensure safe drinking water supply to the habitants. Adequate treatment facility for drinking water shall be provided, if required		-	
b) Storage tank of adequate capacity shall be provided for the storage of treated wastewater and all efforts shall be made to supply the same for construction purposes. c) During construction phase, the project proponent shall ensure that the waste water being generated from the labour quarters/toilets shall be treated and disposed in environment friendly manner. The project proponent shall also exercise the option of modular bio-toilets or will provide proper and adequately design septic tanks for the treatment of such waste water and treated effluents shall be utilized for green area/plantation. vi. The project proponent shall ensure safe drinking water supply to the habitants. Adequate treatment facility for drinking water shall be provided, if required			
b) Storage tank of adequate capacity shall be provided for the storage of treated wastewater and all efforts shall be made to supply the same for construction purposes. c) During construction phase, the project proponent shall ensure that the waste water being generated from the labour quarters/toilets shall be treated and disposed in environment friendly manner. The project proponent shall also exercise the option of modular bio-toilets or will provide proper and adequately design septic tanks for the treatment of such waste water and treated effluents shall be utilized for green area/plantation. vi. The project proponent shall ensure safe drinking water supply to the habitants. Adequate treatment facility for drinking water shall be provided, if required			
b) Storage tank of adequate capacity shall be provided for the storage of treated wastewater and all efforts shall be made to supply the same for construction purposes. c) During construction phase, the project proponent shall ensure that the waste water being generated from the labour quarters/toilets shall be treated and disposed in environment friendly manner. The project proponent shall also exercise the option of modular bio-toilets or will provide proper and adequately design septic tanks for the treatment of such waste water and treated effluents shall be utilized for green area/plantation. vi. The project proponent shall ensure safe drinking water supply to the habitants. Adequate treatment facility for drinking water shall be provided, if required			
shall be provided for the storage of treated wastewater and all efforts shall be made to supply the same for construction purposes. c) During construction phase, the project proponent shall ensure that the waste water being generated from the labour quarters/toilets shall be treated and disposed in environment friendly manner. The project proponent shall also exercise the option of modular bio-toilets or will provide proper and adequately design septic tanks for the treatment of such waste water and treated effluents shall be utilized for green area/plantation. vi. The project proponent shall ensure safe drinking water supply to the habitants. Adequate treatment facility for drinking water will be provided.		occupants under the project.	
vi. The project proponent shall ensure safe drinking water supply to the habitants. Adequate treatment facility for drinking water shall be provided, if required Agreed. Adequate treatment facility for drinking water will be provided.		shall be provided for the storage of treated wastewater and all efforts shall be made to supply the same for construction purposes. c) During construction phase, the project proponent shall ensure that the waste water being generated from the labour quarters/toilets shall be treated and disposed in environment friendly manner. The project proponent shall also exercise the option of modular bio-toilets or will provide proper and adequately design septic tanks for the treatment of such waste water and treated effluents shall be utilized for green	
drinking water supply to the habitants. Adequate treatment facility for drinking water shall be provided, if required	vi.	1	Agreed. Adequate treatment facility for
Adequate treatment facility for drinking water shall be provided, if required	. =-	1 0 1 1	•
• •			
		<u> </u>	
vii. The waste water generated from swimming Agreed. The same will be complied.	vii.		Agreed. The same will be complied.
pool(s) shall not be discharged and the same		pool(s) shall not be discharged and the same	

	shall be reused within the premises for purposes such as horticulture, HVAC etc.	
viii.	The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project	Agreed. Records shall be submitted to RO, MoEF&CC along with six monthly Monitoring reports.
	proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.	
ix.	A certificate shall be obtained from the local body supplying water, specifying the total annual water availability with the local authority, the quantity of water already committed, the quantity of water allotted to the project under consideration and the balance water available. This should be specified separately for ground water and surface water sources, ensuring that there is no impact on other users.	It will be complied.
X.	At least 20% of the open spaces as required by the local building bye-laws shall be pervious. Use of Grass pavers, paver blocks with at least 50% opening, landscape etc. would be considered as pervious surface.	Agreed, adequate open and green area will be provided as per building bye-laws.
xi.	Installation of dual pipe plumbing for supplying fresh water for drinking, cooking and bathing etc. and other for supply of recycled water for flushing, landscape irrigation, car washing, thermal cooling, conditioning etc. shall be done.	Agreed. Dual plumbing system will be implemented for fresh water for drinking, cooking, wastewater and supply of recycled water for flushing, landscape irrigation, etc.
xii.	The respective project proponent shall discourage the installation of R.O. plants in their projects in order to save the wastage in form of RO reject. However, in case the requirement of installing RO plant is utmost necessary then the rejected stream from the RO shall be separated and shall be utilized by storing the same within the particular component i.e. (Tower/Mall) or in a common place in the project premises.	Installation of RO plant will be discouraged by the proponent.
xiii.	The project proponent shall also adopt the	The project proponent will provide water

	1			T
	new/inn	ovating technologies l	ike less water	efficient fixtures such as less water
	discharg	ging taps (far	ucet with	discharging taps /urinals.
	aerators)/urinals with elect	ronic sensor	
	system	/water less urinals	/ twin flush	
	cisterns	sensor based alarmin	ng system for	
		d water storage tanks		
		the environmental man		
	-	ng plans so as to red	-	
		ption/ground water a		
		uilding Construction	& Industrial	
	projects			
xiv.	Separati	ion of grey and black w	ater should be	Agreed. Dual plumbing will be followed.
	done by	the use of dual plumb	ing system. In	
	case o	of single stack sys	tem separate	
	recircula	ation lines for flushing	by giving dual	
	plumbin	ng system be done.		
XV.	The pro	ject proponent will pro	vide plumbing	Agreed. Dual plumbing system will be
		for reuse of treated v		implemented for reuse of treated wastewater
	flushing/ HVAC/ other purposes etc. and			for flushing. Also different pipe lines
	_	coding of different pipe		carrying fresh water/ wastewater/ treated
				wastewater with different colors will be
		astewater from differ	ent sources /	provided.
	treated	wastewater as follows:		
	[G 27			
	S.No.	Nature of the	Color code	
		Stream Fresh water	Blue Color	
	a) b)		Black	
		Untreated wastewater from	Color	
		Toilets/ urinal &	Coloi	
		from kitchen		
	(c)	Untreated	Grey Color	
		wastewater from		
		Bathing/shower area,		
		hand washing		
		(Washbasin / sinks)		
		and from Cloth		
		Washing.		
	d)	Reject water streams	White	
		from RO plants &	Color	
		AC condensate (this		
		is to be implemented		
		wherever centralized		
	11	AC system and		

	common RO has		
	been proposed in the		
	Project). Further, in		
	case of individual		
	houses/establishment		
	this proposal may		
	also be implemented		
	wherever possible.		
	e) Treated wastewater	Green	
	(for reuse only for	Color	
	plantation purposes)		
	from the STP		
	treating black water.		
	f) Treated wastewater	Green with	
	(for reuse for	strips	
	flushing purposes or		
	any other activity		
	except plantation)		
	from the STP		
	treating grey water		
	g) Storm water	Orange	
		color	
xvi.	Water demand during construct		Agreed. Curing agents as well as other best
	reduced by use of pre-mixed co	=	practices are being used during construction
	agents and other best practices	referred.	work for reducing water demand.
xvii.	The local bye-law provisions	on rain water	Agreed. Recharging pits will be provided to
	harvesting should be followed	. If local bye-	recharge the ground water.
	law provision is not availal	ble, adequate	
	provision for storage and recha	-	
	followed as per the Minist	•	
	Development Model Buildi	=	
	=		
	2016. Rain water harvesting reconstruction Nos) /storage tanks shall be		
	ground water recharging as pe	-	
	norm	er the edwb	
kviii.	A rain water harvesting plan	needs to be	Agreed. 17 no's of Recharging pits will be
× 111.	designed where the recharge		constructed to recharge the ground water.
		_	Tombiación to recharge the ground water.
	minimum one recharge bore pe	-	
	meters of built up area and sto		
	of minimum one day of total	al fresh water	
	requirement shall be provid	ed. In areas	
	where ground water recharge i	s not feasible,	
	the rain water should be harves	ted and stored	
L			<u> </u>

	for reuse. The ground water shall not be withdrawn without approval from the Competent Authority.	
xix.	All recharge should be limited to shallow aquifer.	Agreed.
XX.	No ground water shall be used during construction phase of the project. Only treated sewage/wastewater shall be used. A proper record in this regard should be maintained and available at site.	Agreed. No ground water will be used during construction phase of the project. Only treated sewage/wastewater will be used. A proper record in this regard will be maintained and available at site.
xxi.	Any ground water dewatering should be properly managed and shall conform to the approvals and the guidelines of the CGWA in the matter. Formal approval shall be taken from the CGWA for any ground water abstraction or dewatering.	Agreed. Application has already been filed of CGWA for ground water abstraction.
xxii.	The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.	Agreed. Record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.
xxiii.	Sewage shall be treated in the STP with tertiary treatment. STP shall be installed in phased manner viz a viz in module system designed in a such a way so as to efficiently treat the waste water with increase in its quantity due to rise in occupancy. The treated effluent from STP shall be recycled/re-used for flushing, AC make up water and gardening. As proposed, no treated water shall be disposed in to municipal drain.	Adequate capacity of STP will be installed.
xxiv.	No sewage or untreated effluent water would be discharged through storm water drains. Onsite sewage treatment of capacity of treating 100% waste water to be installed. The installation of the Sewage Treatment Plant (STP) shall be certified by an independent expert and a report in this regard	Adequate capacity of STP will be installed.

cal monitoring of water quality of
sewage will be conducted.
Sludge from the onsite sewage
nt, including septic tanks, will be
· landscaping.

IV. Noise monitoring and prevention

S. No.	Conditions	Reply
i.	Ambient noise levels shall conform to	Ambient air & Ambient noise quality is being
	residential area/commercial area/industrial	monitored after every six months. Test reports
	area/silence zone both during day and night	of recently conducted monitoring is enclosed
	as per Noise Pollution (Control and	as Annexure-6.
	Regulation) Rules, 2000. Incremental	
	pollution loads on the ambient air and noise	
	quality shall be closely monitored during	
	construction phase. Adequate measures	
	shall be made to reduce ambient air and	
	noise level during construction phase, so as	
	to conform to the stipulated standards by	
	CPCB/SPCB.	
ii.	Noise level survey shall be carried as per	Agreed. The same will be complied.
	the prescribed guidelines and report in this	
	regard shall be submitted to Regional	
	Officer of the Ministry as a part of six	

	monthly compliance report.	
iii.	barriers for ground-run bays, ear plugs for operating personnel shall be implemented as mitigation measures for noise impact due	Acoustic enclosures for DG sets shall be implemented as mitigation measures for noise impact due to ground sources.
	to ground sources.	

V. Energy Conservation measures

S.	Conditions	Reply
No.		
i.	Compliance with the Energy Conservation	It will be complied.
	Building Code (ECBC) of Bureau of Energy	
	Efficiency shall be ensured. Buildings in the	
	States which have notified their own ECBC,	
	shall comply with the State ECBC.	
ii.	Outdoor and common area lighting shall be	Agreed.
	LED.	
iii.	Concept of passive solar design that minimize	Agreed. Energy Conservation Building Code
	energy consumption in buildings by using	will be followed to conserve the energy.
	design elements, such as building orientation,	Also, solar lights will be provided as
	landscaping, efficient building envelope,	proposed for illumination of common areas.
	appropriate fenestration, increased day lighting	
	design and thermal mass etc. shall be	
	incorporated in the building design. Wall,	
	window, and roof u-values shall be as per	
	ECBC specifications.	
iv.	Energy conservation measures like installation	Agreed. Energy conservation measures will
	of CFLs/ LED for the lighting the area outside	be in place before project commissioning.
	the building should be integral part of the	
	project design and should be in place before	
	project commissioning	
v.	Solar, wind or other Renewable Energy shall be	Agreed.
	installed to meet electricity generation	
	equivalent to 1% of the demand load or as per	
	the state level/ local building bye-laws	
	requirement, whichever is higher.	
vi.	Solar power by utilizing at least 30% of the roof	Agreed. Energy Conservation Building Code
	top area shall be used for lighting in the	will be followed to conserve the energy.
	apartment to reduce the power load on grid.	Also, solar lights will be provided as

Separate electric meter shall be installed for	proposed for illumination of common areas.
solar power. Solar water heating shall be	
provided to meet 20% of the hot water demand	
of the commercial and institutional building or	
as per the requirement of the local building bye-	
laws, whichever is higher. Residential buildings	
are also recommended to meet its hot water	
demand from solar water heaters, as far as	
possible.	

VI. Waste Management

S. No.	Conditions	Reply
i.	A certificate from the competent authority	Solid waste will be collected, stored and
	handling municipal solid wastes, indicating	disposed off as per Solid Waste Management
	the existing civic capacities of handling and	Rules, 2016. NOC regarding solid waste
	their adequacy to cater to the M.S.W.	disposal is attached as Annexure -7.
	generated from project shall be obtained.	
ii.	Disposal of muck during construction phase	Agreed. Muck is generated from construction
	shall not create any adverse effect on the	activities; however, dust mitigation measures
	neighboring communities and be disposed	are proposed like water sprinkling is followed,
	taking the necessary precautions for general	wind wall barriers, tarpaulin sheets are being
	safety and health aspects of people, only in	used so that there is minimum impact on the
	approved sites with the approval of	environment.
	competent authority.	
iii.	Chute system, Separate wet and dry bins	Solid waste will be collected, stored and
	must be provided in each unit and at the	disposed off as per Solid Waste Management
	ground level for facilitating segregation of	Rules, 2016. NOC regarding solid waste
	waste. Solid waste shall be segregated into	disposal is attached as Annexure -7.
	wet garbage and inert materials	Biodegradable waste will be composted by use
		of Mechanical Composter of 300 kg/day.
iv.	Organic waste compost/ Vermiculture pit/	Agreed. Biodegradable waste will be
	Organic Waste Converter within the	composted by use of Mechanical Composter of
	premises with a minimum capacity of 0.3	300 kg/day.
	kg /person/day must be installed for	
	treatment and disposal of the waste.	
v.	All non-biodegradable waste shall be	It will be complied.
	handed over to authorized recyclers for	
	which a written tie up must be done with	
	the authorized recyclers.	

vi.	Any hazardous waste generated during construction phase, shall be disposed off as per applicable rules and norms with necessary approvals of the State Pollution Control Board.	Agreed. Any hazardous waste generated during construction phase, will be disposed off as per applicable rules and norms.
vii.	Use of environment friendly materials in bricks, blocks and other construction materials, shall be required for at least 20% of the construction material quantity. These include Fly Ash bricks, hollow bricks, AACs, Fly Ash Lime Gypsum blocks, Compressed earth blocks, and other environment friendly materials.	Agreed. Fly ash bricks and other construction material is being used which is environment friendly.
viii.	Fly ash should be used as building material in the construction as per the provision of Fly Ash Notification of September, 1999 and amended as on 27 th August, 2003 and 25 th January, 2016. Ready mixed concrete must be used in building construction.	Agreed. PPC Cement will be used which constituted of Fly Ash.
ix.	Any wastes from construction and demolition activities related thereto shall be managed so as to strictly conform to the Construction and Demolition Rules, 2016.	As there is not construction and demolition waste generated from the project.
X.	Used CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/ rules of the regulatory authority to avoid mercury contamination.	LED lights has been provided within the project.

VII. Green Cover

S. No.	Conditions	Reply
i.	No tree can be felled/transplant unless	It will be complied.
	exigencies demand. Where absolutely	
	necessary, tree felling shall be with prior	
	permission from the concerned regulatory	
	authority. Old trees should be retained	
	based on girth and age regulations as may	
	be prescribed by the Forest Department.	

	Plantations to be ensured species (cut) to	
	species (planted).	
ii.	At least single line plantation all around the boundary of the project as proposed shall be provided. The open spaces inside the plot should be suitably landscaped and covered with vegetation of indigenous species/variety. A minimum of one tree for every 80 sqm of land should be planted and maintained. The existing trees will be counted for this purpose. The landscape planning should include plantation of native species. The species with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and/or invasive species should not be used for landscaping. The plantation should be provided as per	Green belt of adequate width and tre plantation as per requirement will be provided.
iii.	SEIAA guidelines. Where the trees need to be cut with prior permission from the concerned local Authority, compensatory plantation in the ratio of 1: 10 (i.e. planting of 10 trees for every 1 tree that is cut) shall be done and maintained. Plantations to be ensured species (cut) to species (planted). Area for green belt development shall be provided as per the details provided in the project document.	Area for green belt development shall b provided as per the details provided in th project document
iv.	Topsoil should be stripped to a depth of 20 cm from the areas proposed for buildings, roads, paved areas, and external services. It should be stockpiled in designated areas and reapplied during plantation of the proposed vegetation on site	Agreed. The top soil excavated during construction activities has been stored and will be used for the development of green are within the project site.
V.	The project proponent shall not use any chemical fertilizer /pesticides /insecticides and shall use only Herbal pesticides/insecticides and organic manure in the green area.	Agreed. The project proponent will not use an chemical fertilizer /pesticides /insecticides that will be harmful for green area.
vi.	The green belt along the periphery of the	Agreed.

(conforming to the day and night noise
5	tandards prescribed for residential land
ι	ise.

VIII. Transport

S. No.	Conditions	Reply
i.	A comprehensive mobility plan, as per	Agreed. The road system will be designed as
	MoUD best practices guidelines (URDPFI),	per MoUD best practices guidelines.
	shall be prepared to include motorized, non-	
	motorized, public, and private networks.	
	Road should be designed with due	
	consideration for environment, and safety	
	of users. The road system can be designed	
	with these basic criteria.	
	a) Hierarchy of roads with proper	
	segregation of vehicular and pedestrian	
	traffic.	
	b) Traffic calming measures.	
	c) Proper design of entry and exit points.	
	d) Parking norms as per local regulation.	
ii.	Vehicles hired for bringing construction	Agreed. Vehicles are being monitored on
	material to the site should be in good	regular basis. PUC certificate is attached as
	condition and should have a pollution check	Annexure-8.
	certificate and should conform to applicable	
	air and noise emission standards be	
	operated only during non-peak hours.	
iii.	A detailed traffic management and traffic	Agreed.
	decongestion plan shall be drawn up to	
	ensure that the current level of service of	
	the roads within a 05 kms radius of the	
	project is maintained and improved upon	
	after the implementation of the project. This	
	plan should be based on cumulative impact	
	of all development and increased habitation	
	being carried out or proposed to be carried	
	out by the project or other agencies in this	
	05 Kms radius of the site in different	
	scenarios of space and time and the traffic	
	management plan shall be duly validated	

	and certified by the State Urban	
	Development department and the P.W.D./	
	competent authority for road augmentation	
	and shall also have their consent to the	
	implementation of components of the plan	
	which involve the participation of these	
	departments	
iv.	Traffic congestion near the entry and exit	Agreed. Parking will be fully internalized and
	points from the roads adjoining the	no public space should be utilized.
	proposed project site must be avoided.	
	Parking should be fully internalized and no	
	public space should be utilized.	

IX. Human health issues

S. No.	Conditions	Reply
i.	All workers working at the construction site	Agreed & same will be provided.
	and involved in loading, unloading, carriage	
	of construction material and construction	
	debris or working in any area with dust	
	pollution shall be provided with dust mask.	
ii.	For indoor air quality the ventilation	Agreed. Ventilation provision will be provided
	provisions as per National Building Code of	as per NBC.
	India.	
iii.	Emergency preparedness plan based on the	Agreed.
	Hazard identification and Risk Assessment	
	(HJRA) and Disaster Management Plan	
	shall be implemented.	
iv.	Provision shall be made for the housing of	All the mandatory facilities has been provided
	construction labour within the site with all	to the labor present within the site.
	necessary infrastructure and facilities such	
	as fuel for cooking, mobile toilets, mobile	
	STP, safe drinking water, medical health	
	care, creche etc. The housing may be in the	
	form of temporary structures to be removed	
	after the completion of the project.	
v.	Occupational health surveillance of the	Health surveillance of the workers will be done
	workers shall be done on a regular basis.	on a regular basis.
vi.	A First Aid Room shall be provided in the	Agreed. First aid room has been provided at
	project both during construction and	construction site and will also be provided

, •	C .1	• ,
operations	of the	project
operations	OI CIIC	project.

during operation phase.

X. Corporate Environment Responsibility

S. No.	Conditions				Reply
i.	The p	project propone	nt shall comp	ly with the	Agreed. As the project is in initial stage of
	provis	sions contained	in this Min	istry's OM	construction. CER activities will be
	vide F.No. 22-65/2017-IA.III dated 1st May			ed 1st May	completed with the completion of the
	2018, as applicable, regarding Corporate			Corporate	project.
	Environment Responsibility. The project				
	propo	nent shall adh	ere to the co	mmitments	
	made in the proposal for CER activities for				
	spending atleast minimum amount of Rs. 134			of Rs. 134	
	Lacs towards following CER activities:				
	Sr.	Activities	Timeline	Amount	
	No.		of	reserved	
			completion	in lacs	
	1.	Adoption of	Jan. 2020 -	40	
		school by	Feb. 2021		
		providing its library,			
		computer,			
		furniture and			
		girls toilets			
		as well as			
		repair of			
		complete			
		building as			
		per the requirement.			
	2.	Modification	Mar 2021 –	24	
		and repair of	Jan. 2022		
		Cremation			
		ground.			
	3.	Installation	Feb. 2022	70	
		of rain water	_		
		harvesting	Mar 2024		
		system and water cooler			
		in local gov.			
		hospital.			
		Total		134	
		•			
	Howe	ever, CER activ	vities shall str	rictly be in	
	accor	dance with the	activities liste	d out in the	

	OM dated 01.05.2018 and as per the following	
	proposal submitted by the project proponent.	
	The amount to be spent on CER activities	
	shall be proportionate to the amount spent on	
	project & such activities shall run parallel to	
	the project execution. All the activities must	
	be completed with the completion of the	
	project.	
ii.	The company shall have a well laid down	Agreed. The copy of the board resolution
11.	environmental policy duly approved by the	shall be submitted with next period of
	Board of Directors. The environmental policy	compliance report.
	should prescribe for standard operating	
	procedures to have proper checks and	
	balances and to bring into focus any	
	infringements/deviation/violation of the	
	environmental / forest / wildlife norms /	
	conditions. The company shall have defined	
	system of reporting infringements / deviation /	
	violation of the environmental / forest /	
	wildlife norms / conditions and / or	
	shareholders / stake holders. The copy of the	
	board resolution in this regard shall be	
	submitted to the MoEF&CC as a part of six	
	monthly report.	
iii.	A separate Environmental Cell both at the	The members of Environment Management
	project and company head quarter level, with	Cell constituted are as follows:
	qualified personnel shall be set up under the	1. Joginder Singh
	control of senior Executive, who will directly	2. Inderjit Singh
	to the head of the organization.	3. Khuswant Suman
	to the nead of the organization.	4. Narinder Kumar Verma
iv.	Action plan for implementing EMP and	The entire cost of the environmental
1 4 .	environmental conditions along with	management plan is being borne by the
	responsibility matrix of the company shall be	project proponent only. Total expenditure
	prepared and shall be duly approved by	
		incurred on the EMP is Rs. 3.5 Lakhs till 31st
	competent authority. The year wise funds	March, 2020.
	earmarked for environmental protection	
	measures shall be kept in separate account and	
	not to be diverted for any other purpose. The	
	project proponent shall spend minimum	
	amount of Rs 525 Lacs towards capital cost	
	and Rs 4.85 Lacs/annum towards recurring	

cost in Construction phase of the project and	
shall spend minimum amount of Rs 11	
Lacs/annum towards recurring cost in	
operation phase of the project. The entire cost	
of the environmental management plan will	
continue to be borne by the project proponent	
until the responsibility of environmental	
management plan is transferred to the	
occupier/residents society under proper MOU	
under intimation to SEIAA, Punjab. Year wise	
progress of implementation of action plan	
shall be reported to the Ministry/Regional	
Office along with the Six Monthly	
Compliance Report.	

XI. Validity

S. No.	Conditions	Reply
i.	This environmental clearance will be valid for	Agreed.
	a period of seven years from the date of its	
	issue or till the completion of the project,	
	whichever is earlier.	

XII. Miscellaneous

S. No.	Conditions	Reply
i.	The project proponent before allowing any	Agreed.
	occupancy shall obtain completion and	
	occupancy certificate from the Competent	
	Authority and submit a copy of the same to	
	the SEIAA, Punjab.	
ii.	The project proponent shall comply with the	Agreed. Conditions of CLU is being
	condition of CLU obtained vide letter no.	complied. copy of CLU is enclosed as
	2460/STP(J)/CLU(J) dated 04/10/2017.	Annexure-5.
iii.	The project proponent shall prominently	Copy of advertisement has already been
	advertise it at least in two local newspapers of	published in the newspaper after grant of EC
	the District or State, of which one shall be in	letter and copy of the same is attached as
	the vernacular language within seven days	Annexure-9.
	indicating that the project has been accorded	
	environment clearance and the details of	

	MoEFCC/SEIAA website where it is	
	displayed.	
iv.	The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.	Agreed. Copy of EC letter has been uploaded on our own website. The snapshot of the same is attached along as Annexure - 10 .
V.	The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.	Agreed. The project proponent will upload recent compliances along with results of monitored data on website after the submission and also same will be updated on half-yearly basis.
vi.	The project proponent shall submit sixmonthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.	The project proponent will upload recent compliances on website after the submission
vii.	The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.	The project proponent will submit the environmental statement for financial year in Form-V to the concerned State Pollution Control Board and the hard copy will be submitted to the concerned project
viii.	The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.	The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project.
ix.	The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.	Agreed.
x.	The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.	Agreed.
xi.	No further expansion or modifications in the	Agreed. No further expansion or

	plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).	modification in the project will be carried out without prior approval of the Ministry of Environment, Forests and Climate Change.
xii.	Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.	Agreed.
xiii.	The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.	Agreed.
xiv.	The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.	Agreed.
XV.	The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data/information/monitoring reports.	Agreed. The project authorities will give full cooperation to the officer while monitoring the compliance conditions.
xvi.	The above conditions shall be enforced, interalia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.	Agreed.
xvii.	Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	Agreed.

Item No. 152.06



STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY PUNJAB

Ministry of Environment, Forest & Climate Change, Government of India O/o Directorate of Environment & Climate Change C/o PSCST, MGSIPA Complex, Sector 26, Chandigarh-160019 Tele-0172-2792325 Fax- 0172-2793143

No. DECC/SEIAA/2019/828

REGISTERED

Date: 22/08/2019

To

Sh. Joginder Singh, Partner M/s Triworld Developers 66 Feet Road Village Kadianwali, Jalandhar -144020 Mobile- 98144-70000

Subject:

Environmental Clearance under EIA notification dated 14.09.2006 for establishment of a Group Housing project namely "Royal Residency" located at 66 ft. Road, Vill. Kadianwali (HB No. 292), Jalandhar, Punjab to be developed by M/s Triworld Developers (Proposal No. SIA/PB/MIS /101630/2019).

This has reference to your online Proposal No. SIA/PB/NCP/89801/2018 for the establishment of Group Housing project namely "Royal Residency" located at 66 ft. Road, Village. Kadianwali (HB No. 292), Jalandhar, Punjab for grant of Environmental Clearance under the EIA notification dated 14.09.2006. The proposal has been appraised as per procedure prescribed under the provisions of EIA Notification dated 14.09.2006 on the basis of the mandatory documents enclosed with the application viz., Form-1, 1-A, EIA report and the additional clarifications furnished in response to the observations of the SEAC. The salient features of the project are as under:-

1)	Name and Location of the project	"Royal Residency" located at 66 ft. Road, Village Kadianwali (HB No. 292), Jalandhar, Punjab
	Nature of project (Fresh/ Expansion/ Amendment/ Others)	Fresh
	Activity (As per schedule appended to EIA Notification, 2006)	8(a): Building & Construction Project.

	Category as per EIA Notification, 2006 (in schedule)	Catego	ory B2		
2)	Total cost of the project	67.33 crores			
3)	Total Plot area, Built-up	p The details of the group housing project is as unc			
	Area and Green area	Sr. No.	Description	Details	
		1.	Total Project land Area	43220.42 sqm. (10.68 Acre)	
		2.	Net Plot Area	42937.147 sqm. (10.61 Acre)	
		3.	Built-up Area	83340.99 sqm.	
		4.	Green Area	3712.91 sqm.	
		5.	Parking	581 ECS (Residential Stilt Parking) 40 ECS (Commercial Surface	
				Parking)	
4)	Population (when fully inhabited)	1490 Persons			
5)	Water Requirements & source	В	Break up of water requirement	Source	
		192 Fresh	water requiremen KLD n water : 149 KLD. ning purposes : 43 KLI	Groundwater	
		1 145	J	Treated waste water	
6)	Disposal Arrangement of Waste water	Total which in STF waster plant	153.6 KLD waste wa 76.8 KLD of sewage P of 125 KLD capacity water (Grey Water)	ter will be generated out of (Black Water) will be treated and remaining 76.8 KLD of will be treated in treatment. D. The details of dispose	
6)		Total which in STF waster plant	153.6 KLD waste wa 76.8 KLD of sewage of 125 KLD capacity water (Grey Water) of capacity 125 KL gement of waste wate Season For Flushing	ter will be generated out of (Black Water) will be treated and remaining 76.8 KLD of will be treated in treatment and the details of disposate is as under: Green	
6)		Total which in STF waster plant arrang Sr. No.	153.6 KLD waste wa 76.8 KLD of sewage of 125 KLD capacity water (Grey Water) of capacity 125 Kl gement of waste wate Season For Flushing purpose (KLD)	ter will be generated out of (Black Water) will be treated and remaining 76.8 KLD of will be treated in treatment. D. The details of disposaris as under: Green	
6)		Total which in STP waster plant arrang Sr. No.	153.6 KLD waste wa 76.8 KLD of sewage of 125 KLD capacity water (Grey Water) of capacity 125 KL gement of waste wate Season For Flushing	ter will be generated out of (Black Water) will be treated and remaining 76.8 KLD of will be treated in treatment. D. The details of disposate is as under: Green Into Green sewer	
6)		Total which in STP waster plant arrang Sr. No.	153.6 KLD waste war 76.8 KLD of sewage of 125 KLD capacity water (Grey Water) of capacity 125 Kl gement of waste wate Season For Flushing purpose (KLD) Summer 43	ter will be generated out of (Black Water) will be treated and remaining 76.8 KLD of will be treated in treatment. D. The details of disposar is as under: Green Into Area sewer (KLD) (KLD) 20.5 90.7	
7)		Total which in STF waster plant arrang Sr. No.	153.6 KLD waste wa 76.8 KLD of sewage of 125 KLD capacity water (Grey Water) of capacity 125 KL gement of waste wate Season For Flushing purpose (KLD) Summer 43 Winter 43 Rainy 43	ter will be generated out of (Black Water) will be treated and remaining 76.8 KLD of will be treated in treatment. D. The details of disposaris as under: Green Into Area seweres (KLD) (KLD) 20.5 90.7 6.68 104.5 1.8 109.4	

	and its disposal	 b) Solid wastes will be appropriately segregated as Bidegradable and non-bio-degradable as per MS Rules, 2016. c) Separate area will be earmarked for handling Bidegradable waste including segregation. d) Mechanical composter will be provided for composting Bio-degradable waste. e) Recyclable waste will be sold to recyclers. f) Inert waste will be dumped to authorized dumping
9)	Energy Requirements & Saving	 site. a) 1763 KW from State Power Supply. b) 1 x 500 KVA and 1 x 320 KVA DG sets with canonal as standby arrangements will be provided. c) Solar street lighting facilities will be proposed. d) 16.64 KW shall be saved by using CFL instead LEDs. e) 31% of terrace area will be covered by Solar Paneto generate 493 KW of power.

The case was lastly considered by the SEAC in its 181st meeting held on 11.07.2019, wherein, the Committee observed that the project proponent has provided adequate and satisfactory clarifications to the observations raised by it, therefore, the Committee awarded 'Silver Grading' to the project proposal and decided to forward the case to the SEIAA with the recommendation to grant environmental clearance to the project proponent under EIA notification dated 14.09.2006 for the project subject to certain conditions in addition to the proposed measures.

Thereafter, the case was lastly considered by the SEIAA in its 152nd meeting held on 08.08.2019. The SEIAA observed that the case stands recommended by SEAC and the Committee awarded 'Silver Grading' to the project proposal. The Authority looked into all the aspects of the project proposal in detail and was satisfied with the same.

Therefore, the Authority decided to grant environmental clearance under category-B2 with project/ activity 8(a)- for the establishment of Group Housing project namely "Royal Residency" having total land area 43220.42 sqm & built up area 83340.99 sqm located at 66 ft. Road, Vill. Kadianwali (HB No. 292), Jalandhar, Punjab, subject to the conditions as proposed by the SEAC. Accordingly, SEIAA, Punjab, hereby, accords necessary environmental clearance for the above project under the provisions

of EIA Notification dated 14.09.2006 and its subsequent amendments, subject to proposed measures & strict compliance of terms and conditions as follows: -

I. Statutory compliance:

- i) The project proponent shall not use existing three borewells till the permission for ground water abstraction is obtained from CGWA.
- ii) The project proponent shall obtain all necessary clearance/ permission from all relevant agencies including town planning authority before commencement of work. All the construction shall be done in accordance with the local building byelaws.
- iii) The approval of the Competent Authority shall be obtained for structural safety of buildings due to earthquakes, adequacy of firefighting equipment etc as per National Building Code including protection measures from lightening etc.
- iv) The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1986, in case of the diversion of forest land for non-forest purpose involved in the project.
- v) The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.
- vi) The project proponent shall obtain Consent to Establish / Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State Pollution Control Board / Committee.
- vii) The project proponent shall obtain the necessary permission for drawl of ground water/ surface water required for the project from the competent authority.
- viii) A certificate of adequacy of available power from the agency supplying power to the project along with the load allowed for the project should be obtained.
- ix) All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department shall be obtained, as applicable, by project proponents from the respective competent authorities.
- x) The provisions of the Solid Waste (Management) Rules, 2016, E-Waste (Management) Rules, 2016, Construction & Demolition Waste Rules, 2016 and the Plastics Waste (Management) Rules, 2016 shall be followed.
- xi) The project proponent shall follow the ECBC/ECBC-R prescribed by Bureau of Energy Efficiency, Ministry of Power strictly.
- xii) The project site shall confirm to the suitability as prescribed under the provisions laid down under the master plan of respective city/ town. For that, the project proponent shall either to submit the NOC/ land use conformity certificate from

- Deptt of Town and Country Planning or other concerned Authority under whom jurisdiction, the site falls.
- xiii) Besides above, the project proponent shall also comply with siting criteria / guidelines, standard operating practices, code of practice and guidelines if any prescribed by the SPCB/CPCB/MoEF&CC for such type of projects.

II. Air quality monitoring and preservation

- i) Notification GSR 94(E) dated 25.01.2018 of MoEF&CC regarding Mandatory Implementation of Dust Mitigation Measures for Construction and Demolition Activities for projects requiring Environmental Clearance shall be complied with.
- ii) A management plan shall be drawn up and implemented to contain the current exceedance in ambient air quality at the site.
- iii) The project proponent shall install system to carryout Ambient Air Quality monitoring for common /criterion parameters relevant-to the main pollutants released (e.g. PM₁₀ and PM_{2.5}) covering upwind and downwind directions during the construction period.
- iv) Diesel power generating sets proposed as source of backup power should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use of low sulphur diesel. The location of the DG sets may be decided with in consultation with State Pollution Control Board.
- v) Construction site shall be adequately barricaded before the construction begins. Dust, smoke & other air pollution prevention measures shall be provided for the building as well as the site. These measures shall include screens for the building under construction, continuous dust/ wind breaking walls all around the site (at least 3 meter height). Plastic/tarpaulin sheet covers shall be provided for vehicles bringing in sand, cement, murram and other construction materials prone to causing dust pollution at the site as well as taking out debris from the site.
- vi) Sand, murram, loose soil, cement, stored on site shall be covered adequately so as to prevent dust pollution.
- vii) All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
- viii) Wet jet shall be provided for grinding and stone cutting.
- ix) Unpaved surfaces and loose soil shall be adequately sprinkled with water to suppress dust.
- x) All construction and demolition debris shall be stored at the site (and not dumped on the roads or open spaces outside) before they are properly disposed. All demolition and construction waste shall be managed as per the provisions of the Construction and Demolition Waste Rules 2016.

- xi) The diesel generator sets to be used during construction phase shall be low sulphur diesel type and shall conform to Environmental (Protection) prescribed for air and noise emission standards.
- xii) The gaseous emissions from DG set shall be dispersed through adequate stack height as per CPCB standards. Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollution. Low sulphur diesel shall be used. The location of the DG set and exhaust pipe height shall be as per the provisions of the Central Pollution Control Board (CPCB) norms.
- xiii) For indoor air quality the ventilation provisions as per National Building Code of India.

III. Water quality monitoring and preservation

- The natural drain system should be maintained for ensuring unrestricted flow of water.
- ii) No construction shall be allowed to obstruct the natural drainage through the site, on wetland and water bodies. Check dams, bio-swales, landscape, and other sustainable urban drainage systems (SUDS) are allowed for maintaining the drainage pattern and to harvest rain water.
- iii) Buildings shall be designed to follow the natural topography as much as possible. Minimum cutting and filling should be done.
- iv) The total water requirement for the project will be 192 KL/day, out of which 149 KL /day shall be met through own tubewell and remaining 43 KL/day through recycling of treated waste water. Total fresh water use shall not exceed the proposed requirement as provided in the project details.
- v) a) The total wastewater generation from the project will be 153.6 KL/day, which will be treated in a separate STPs i.e. of capacity @125 KLD for black stream (50%) and of capacity 125 KLD for grey stream (50%) to be installed on module system within the project premises. As proposed, reuse of treated wastewater and discharge of surplus treated wastewater shall be as under:-

Sr.	Season	For	Green Area (KLD)	Into sewer (KLD)*
No.		Flushing		
		purposes		
		(KLD)		
1.	Summer	43	20.5	90.7
2.	Winter	43	6.68	104.5
3.	Rainy	43	1.8	109.4

Note-*In case, the MC sewer is not connected with the project site at the operational stage of the project than the project proponent will lay down the sewer line connecting to main MC Sewer which is only 1.5 km (approx.) from project site at its own cost arrangement as undertaken. Alternatively, project proponent shall purchase, adjacent agricultural land of 1.5 acre, in case of delay in connection with MC sewer for disposal of treated sewage through Karnal Technology (to utilize

maximum 110 KLD of treated wastewater) on purchase land as undertaken by Project Proponent.

In case of lack of arrangement of disposal of treated sewage as proposed above, project proponent will not sell any flat to occupants under the project

- b) Storage tank of adequate capacity shall be provided for the storage of treated wastewater and all efforts shall be made to supply the same for construction purposes.
- c) During construction phase, the project proponent shall ensure that the waste water being generated from the labour quarters/toilets shall be treated and disposed in environment friendly manner. The project proponent shall also exercise the option of modular bio-toilets or will provide proper and adequately design septic tanks for the treatment of such waste water and treated effluents shall be utilized for green area/plantation
- vi) The project proponent shall ensure safe drinking water supply to the habitants. Adequate treatment facility for drinking water shall be provided, if required.
- vii) The waste water generated from swimming pool(s) shall not be discharged and the same shall be reused within the premises for purposes such as horticulture, HVAC etc.
- viii) The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.
- ix) A certificate shall be obtained from the local body supplying water, specifying the total annual water availability with the local authority, the quantity of water already committed, the quantity of water allotted to the project under consideration and the balance water available. This should be specified separately for ground water and surface water sources, ensuring that there is no impact on other users.
- x) At least 20% of the open spaces as required by the local building bye-Jaws shall be pervious. Use of Grass pavers, paver blocks with at least 50% opening, landscape etc. would be considered as pervious surface.
- xi) Installation of dual pipe plumbing for supplying fresh water for drinking, cooking and bathing etc. and other for supply of recycled water for flushing, landscape irrigation, car washing, thermal cooling, conditioning etc. shall be done.
- xii) The respective project proponent shall discourage the installation of R.O. plants in their projects in order to save the wastage in form of RO reject. However, in case the requirement of installing RO plant is utmost necessary then the rejected stream from the RO shall be separated and shall be utilized by storing the same within the particular component i.e. (Tower/Mall) or in a common place in the project premises.
- xiii) The project proponent shall also adopt the new/innovating technologies like less

water discharging taps (faucet with aerators)/urinals with electronic sensor system /water less urinals / twin flush cisterns/ sensor based alarming system for overhead water storage tanks and make it a part of the environmental management plans / building plans so as to reduce the water consumption/ground water abstraction in their Building Construction & Industrial projects.

- xiv) Separation of grey and black water should be done by the use of dual plumbing system. In case of single stack system separate recirculation lines for flushing by giving dual plumbing system be done.
- xv) The project proponent will provide plumbing system for reuse of treated wastewater for flushing/ HVAC/ other purposes etc. and colour coding of different pipe lines carrying water/wastewater from different sources / treated wastewater as follows:

Sr. No	Nature of the Stream	Color code
a)	Fresh water	Blue Color
b)	Untreated wastewater from Toilets/ urinal & from Kitchen	Black color
c)	Untreated wastewater from Bathing/shower area, hand washing (Washbasin / sinks) and from Cloth Washing	Grey color
d)	Reject water streams from RO plants & AC condensate (this is to be implemented wherever centralized AC system and common RO has been proposed in the Project). Further, in case of individual houses/establishment this proposal may also be implemented wherever possible.	White color
e)	Treated wastewater (for reuse only for plantation purposes) from the STP treating black water	Green
f)	Treated wastewater (for reuse for flushing purposes or any other activity except plantation) from the STP treating grey water	Green with strips
g)	Storm water	Orange Color

- xvi) Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.
- xvii) The local bye-law provisions on rain water harvesting should be followed. If local bye-law provision is not available, adequate provision for storage and recharge

- should be followed as per the Ministry of Urban Development Model Building Byelaws, 2016. Rain water harvesting recharge pits (17 Nos) /storage tanks shall be provided for ground water recharging as per the CGWB norms.
- xviii) A rain water harvesting plan needs to be designed where the recharge bores of minimum one recharge bore per 5,000 square meters of built up area and storage capacity of minimum one day of total fresh water requirement shall be provided. In areas where ground water recharge is not feasible, the rain water should be harvested and stored for reuse. The ground water shall not be withdrawn without approval from the Competent Authority.
- xix) All recharge should be limited to shallow aquifer.
- xx) No ground water shall be used during construction phase of the project. Only treated sewage/wastewater shall be used. A proper record in this regard should be maintained and available at site.
- xxi) Any ground water dewatering should be properly managed and shall conform to the approvals and the guidelines of the CGWA in the matter. Formal approval shall be taken from the CGWA for any ground water abstraction or dewatering.
- xxii) The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.
- xxiii) Sewage shall be treated in the STP with tertiary treatment. STP shall be installed in phased manner viz a viz in module system designed in a such a way so as to efficiently treat the waste water with increase in its quantity due to rise in occupancy. The treated effluent from STP shall be recycled/re-used for flushing, AC make up water and gardening. As proposed, no treated water shall be disposed in to municipal drain.
- xxiv) No sewage or untreated effluent water would be discharged through storm water drains. Onsite sewage treatment of capacity of treating 100% waste water to be installed. The installation of the Sewage Treatment Plant (STP) shall be certified by an independent expert and a report in this regard shall be submitted to the Ministry before the project is commissioned for operation. Treated waste water shall be reused on site for landscape, flushing, cooling tower, and other enduses. Excess treated water shall be discharged as per statutory norms notified by Ministry of Environment, Forest and Climate Change. Natural treatment systems shall be promoted.
- xxv) Periodical monitoring of water quality of treated sewage shall be conducted. Necessary measures should be made to mitigate the odour problem from STP.
- xxvi) Sludge from the onsite sewage treatment, including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Central Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.

IV. Noise monitoring and prevention

- i) Ambient noise levels shall conform to residential area/commercial area/industrial area/silence zone both during day and night as per Noise Pollution (Control and Regulation) Rules, 2000. Incremental pollution loads on the ambient air and noise quality shall be closely monitored during construction phase. Adequate measures shall be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/SPCB.
- ii) Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to Regional Officer of the Ministry as a part of sixmonthly compliance report.
- iii) Acoustic enclosures for DG sets, noise barriers for ground-run bays, ear plugs for operating personnel shall be implemented as mitigation measures for noise impact due to ground sources.

V. Energy Conservation measures

- i) Compliance with the Energy Conservation Building Code (ECBC) of Bureau of Energy Efficiency shall be ensured. Buildings in the States which have notified their own ECBC, shall comply with the State ECBC.
- ii) Outdoor and common area lighting shall be LED.
- iii) Concept of passive solar design that minimize energy consumption in buildings by using design elements, such as building orientation, landscaping, efficient building envelope, appropriate fenestration, increased. day lighting design and thermal mass etc. shall be incorporated in the building design. Wall, window, and roof u-values shall be as per ECBC specifications.
- iv) Energy conservation measures like installation of CFLs/ LED for the lighting the area outside the building should be integral part of the project design and should be in place before project commissioning.
- v) Solar, wind or other Renewable Energy shall be installed to meet electricity generation equivalent to 1 % of the demand load or as per the state level/ local building bye-laws requirement, whichever is higher.
- vi) Solar power by utilizing at least 30% of the roof top area shall be used for lighting in the apartment to reduce the power load on grid. Separate electric meter shall be installed for solar power. Solar water heating shall be provided to meet 20% of the hot water demand of the commercial and institutional building or as per the requirement of the local building bye-laws, whichever is higher. Residential buildings are also recommended to meet its hot water demand from solar water heaters, as far as possible.

VI. Waste Management

i) A certificate from the competent authority handling municipal solid wastes, indicating the existing civic capacities of handling and their adequacy to cater to the M.S.W. generated from project shall be obtained.

- ii) Disposal of muck during construction phase shall not create any adverse effect on the neighboring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.
- iii) Chute system, Separate wet and dry bins must be provided in each unit and at the ground level for facilitating segregation of waste. Solid waste shall be segregated into wet garbage and inert materials.
- iv) Organic waste compost/ Vermiculture pit/ Organic Waste Converter within the premises with a minimum capacity of 0.3 kg /person/day must be installed for treatment and disposal of the waste.
- v) All non-biodegradable waste shall be handed over to authorized recyclers for which a written tie up must be done with the authorized recyclers.
- vi) Any hazardous waste generated during construction phase, shall be disposed off as per applicable rules and norms with necessary approvals of the State Pollution Control Board.
- vii) Use of environment friendly materials in bricks, blocks and other construction materials, shall be required for at least 20% of the construction material quantity. These include Fly Ash bricks, hollow bricks, AACs, Fly Ash Lime Gypsum blocks, Compressed earth blocks, and other environment friendly materials.
- viii) Fly ash should be used as building material in the construction as per the provision of Fly Ash Notification of September, 1999 and amended as on 27th August, 2003 and 25th January, 2016. Ready mixed concrete must be used in building construction.
- ix) Any wastes from construction and demolition activities related thereto shall be managed so as to strictly conform to the Construction and Demolition Rules, 2016.
- x) Used CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/ rules of the regulatory authority to avoid mercury contamination.

VII. Green Cover

- i) No tree can be felled/transplant unless exigencies demand. Where absolutely necessary, tree felling shall be with prior permission from the concerned regulatory authority. Old trees should be retained based on girth and age regulations as may be prescribed by the Forest Department. Plantations to be ensured species (cut) to species (planted).
- ii) At least single line plantation all around the boundary of the project as proposed shall be provided. The open spaces inside the plot should be suitably landscaped and covered with vegetation of indigenous species/variety. A minimum of one tree for every 80 sqm of land should be planted and maintained. The existing trees will be counted for this purpose. The landscape planning should include plantation of native species. The species with heavy foliage, broad leaves and wide canopy cover

- are desirable. Water intensive and/or invasive species should not be used for landscaping. The plantation should be provided as per SEIAA guidelines.
- Where the trees need to be cut with prior permission from the concerned local Authority, compensatory plantation in the ratio of 1: 10 (i.e. planting of 10 trees for every 1 tree that is cut) shall be done and maintained. Plantations to be ensured species (cut) to species (planted). Area for green belt development shall be provided as per the details provided in the project document.
- iv) Topsoil should be stripped to a depth of 20 cm from the areas proposed for buildings, roads, paved areas, and external services. It should be stockpiled appropriately in designated areas and reapplied during plantation of the proposed vegetation on site.
- v) The project proponent shall not use any chemical fertilizer /pesticides /insecticides and shall use only Herbal pesticides/insecticides and organic manure in the green area.
- vi) The green belt along the periphery of the plot shall achieve attenuation factor conforming to the day and night noise standards prescribed for residential land use.

VIII. Transport

- i) A comprehensive mobility plan, as per MoUD best practices guidelines (URDPFI), shall be prepared to include motorized, non-motorized, public, and private networks. Road should be designed with due consideration for environment, and safety of users. The road system can be designed with these basic criteria.
 - a) Hierarchy of roads with proper segregation of vehicular and pedestrian traffic.
 - b) Traffic calming measures.
 - c) Proper design of entry and exit points.
 - d) Parking norms as per local regulation.
- ii) Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards be operated only during non-peak hours.
- iii) A detailed traffic management and traffic decongestion plan shall be drawn up to ensure that the current level of service of the roads within a 05 kms radius of the project is maintained and improved upon after the implementation of the project. This plan should be based on cumulative impact of all development and increased habitation being carried out or proposed to be carried out by the project or other agencies in this 05 Kms radius of the site in different scenarios of space and time and the traffic management plan shall be duly validated and certified by the State Urban Development department and the P.W.D./ competent authority for road augmentation and shall also have their consent to the implementation of components of the plan which involve the participation of these departments.

iv) Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.

IX. Human health issues

- i) All workers working at the construction site and involved in loading, unloading, carriage of construction material and construction debris or working in any area with dust pollution shall be provided with dust mask.
- ii) For indoor air quality the ventilation provisions as per National Building Code of India.
- iii) Emergency preparedness plan based on the Hazard identification and Risk Assessment (HJRA) and Disaster Management Plan shall be implemented.
- iv) Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, creche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
- v) Occupational health surveillance of the workers shall be done on a regular basis.
- vi) A First Aid Room shall be provided in the project both during construction and operations of the project.

X. Corporate Environment Responsibility

i) The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 1st May 2018, as applicable, regarding Corporate Environment Responsibility. The project proponent shall adhere to the commitments made in the proposal for CER activities for spending atleast minimum amount of Rs. 134 Lacs towards following CER activities:

Sr.	Activities	Timeline for	Amount
No.		completion	reserved in
			Lacs
1.	Adoption of school by providing its library,	Jan. 2020 -	40
	computer, furniture and girls toilets as well	Feb. 2021	
	as repair of complete building as per the		
	requirement		
2.	Modification and repair of Cremation ground.	Mar 2021 –	24
		Jan. 2022	
3.	Installation of rain water harvesting system	Feb. 2022 –	70
	and water cooler in local government	Mar 2024	
	hospital.		
	Total		134

However, CER activities shall strictly be in accordance with the activities listed out in the OM dated 01.05.2018 and as per the following proposal submitted by the project proponent. The amount to be spent on CER activities shall be proportionate to the amount spent on project & such activities shall run parallel to the project execution. All the activities must be completed with the completion of the project.

- ii) The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest / wildlife norms / conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of sixmonthly report.
- iii) A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization.
- iv) Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. The project proponent shall spend minimum amount of Rs 525 Lacs towards capital cost and Rs 4.85 Lacs/annum towards recurring cost in Construction phase of the project and shall spend minimum amount of Rs 11 Lacs/annum towards recurring cost in operation phase of the project. The entire cost of the environmental management plan will continue to be borne by the project proponent until the responsibility of environmental management plan is transferred to the occupier/residents society under proper MOU under intimation to SEIAA, Punjab.Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.

XI. Validity

i) This environmental clearance will be valid for a period of seven years from the date of its issue or till the completion of the project, whichever is earlier.

XII. Miscellaneous

i) The project proponent before allowing any occupancy shall obtain completion and occupancy certificate from the Competent Authority and submit a copy of the same to the SEIAA, Punjab.

- The project proponent shall comply with the condition of CLU obtained vide letter no 2460/STP(J)/CLU(J) dated 04/10/2017
- iii) The project proponent shall prominently advertise it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days indicating that the project has been accorded environment clearance and the details of MoEFCC/SEIAA website where it is displayed.
- iv) The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.
- v) The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.
- vi) The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.
- vii) The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.
- viii) The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.
- ix) The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.
- x) The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.
- xi) No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).
- xii) Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
- xiii) The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.

- xiv) The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.
- xv) The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data/information/monitoring reports.
- xvi) The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.
- xvii) Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

Sd-Member Secretary

Endst. No.829-837 Registered Date: 22/08/2019

A copy of the above is forwarded to the following for information & further necessary action please.

- 1. The Secretary to Govt. of India, Ministry of Environment and Forest, Paryavaran Bhawan, CGO Complex, Lodhi Road, New Delhi.
- 2. The Chairman, Central Pollution Control Board, Parivesh Bhavan, CBD-cum-office Complex, East Arjun Nagar, New Delhi.
- 3. The Chairman, Punjab Pollution Control Board, Vatavaran Bhawan, Nabha Road, Patiala.
- 4. The Chairman, Punjab State Power Corporation Ltd, the Mall, Patiala.
- 5. The Deputy Commissioner, Patiala.
- 6. The Additional Principal Conservator of Forests (C), Ministry of Environment, Forests & Climate Change, Northern Regional Office, Bays No. 24-25, Sector- 31-A, Chandigarh.
- 7. The Chief Town Planner, Department of Town & Country Planning, 6th Floor, PUDA Bhawan, Phase-8, Mohali.

The Joint Director, Ministry of Environment and Forest, Northern Regional Office, 8. Bays No.24-25, Sector-31-A, Chandigarh. The detail of the authorized Officer of the project proponent is as under:

a) Name of the applicant : Sh. Joginder Singh, Partner

b) Phone Number : 98144-70000

c) Email Id triworld.17@gmail.com

Monitoring Cell, Ministry of Environment, Forests & Climate Change, Indira 9. Paryavaran Bhavan, Jorbagh Road, New Delhi - 110003.

> Sd-**Member Secretary**

PHOTOGRAPHS OF THE PROJECT









GREEN AREA WITHIN THE PROJECT PREMISES









DG SET WITHIN THE PROJECT





Government of India Central Ground Water Authority (CGWA) Ministry of Water Resources, River Development and Ganga Rejuvenation



Logout

Application for Issue of NOC to Abstract Ground Water (NOCAP)

Welcome: ROYALRESIDENCY
Previous Login Date Time: 08/04/2019 16:34:43 PM , IP Address: 122.161.192.74

Apply **Applicant Home**

Feedback Change Password Profile

Арріу	reedback C	Change Password Profile			
Location De	petails	INFRASTRUCTURE USE : SUCCESSFUL SUBN	NECTON		
		INFRASTRUCTURE USE : SUCCESSFUL SUBN	IISSION		
	cation Address		Print Application		
Land Use D		Your Application Submitted Successfully. Your Applic	cation Detail here :		
	uirement Details	Application Number :	21-4/5326/PB/INF/2019		
De-Waterin Structure	ig Existing				
De-Watering Proposed Structure		Name of Infrastructure :	ROYAL RESIDENCY BY M/S TRIWORLD DEVELOPERS		
Breakup of	f Water Requirment	Submitted Date :	08/04/2019 18:27:48		
Water Supp	ply Detail	Net Ground Water Requirement (m ³ /day):	149.00		
Groundwate Structure-E	ter Abstraction Existing	Please note your application number for future refere	ence.		
	ter Abstraction	This e-application will be Processed only After R	Receipt of Printed form Duly Signed by the		
Other Details Applicant along with all Relevant Enclosures at the Regional Director within seven (7) days of the Details Unloading Completed Application Online Places Send Your Application to Given Address.					
Self Declar		Uploading Completed Application Online. Please Below.	Send Your Application to Given Address		
Attachment					
Final Subm		Regional Director br />Central Ground Water Bo Rhawan br/>Plot No. 3B. Sector 27-A br/>CHAN	• ,		
Filiai Guo		160019 br/>	Bhawan br/>Plot No. 3B, Sector 27-A br/>CHANDIGARH CHANDIGARH br/>PinCode : 160019 br/>		
		Note:-			
		a) The Processing Fee is Non-Refundable. Applican "Documents Required" before Submitting Application			
		b) Applicant has to Submit Processing Fee of Rs 100 NON TAX RECEIPT PORTAL (https://bharatkosh.go Transaction Ref No. and Date from the receipt, in prihard copy of application.	ov.in). A receipt will be generated. Please fill in the		
		c) Submitted Application will not be Processed till the Submitted to Regional Office.	e Print Out of the Signed Complete Application is		

1			Annexure
-	Maiandhar	Development Authority	
-	NO. 540	3 D-180: 15-11-17	
	C.A.		
-	A.C.A.		
1	E.O.		
	S.E.	De De	PCL Elimes Siere Power Corporation
	D.E (R)		
	Sr. A.O.	0/0-CI	HIEF ENGINEER / COMMERCIAL, PSPCL, PATI
Ĺ	RIO.		Fax: 0175-2210320, E-Mail: ce-commercial@pspcl.in

To

The Jalandhar Development Authroity (JDA), SCO 41, PUDA Complex, Ladowali Road, Jalandhar.

Sub: ਪਾਪਰਾ ਐਕਟ, 1995 ਅਤੇ ਪਾਪਰਾ (ਅਮੈਂਡਮੈਂਟ) ਐਕਟ, 2014 ਤਹਿਤ 10.61 ਏਕੜ ਰਕਬੇ ਵਿੱਚ "Royal Residency" ਪਿੰਡ ਕਾਦਿਆਂਵਾਲੀ (ਹ.ਬ.ਨੰ.292), ਤਹਿਸੀਲ ਤੇ ਜਿਲ੍ਹਾ ਜਲੰਧਰ ਨਾਂ ਦੀ ਤਜਵੀਜਤ ਕਲੋਨੀ ਦਾ ਲਾਇਸੰਸ ਜਾਰੀ ਕਰਨ ਬਾਰੇ।

Vide your office letter no. ਸੀਏ-ਜੇਡੀਏ-2017/8348 dated 17.10.2017, project report for setting up 10.61 Acres residential project namely Royal Residency at Village Qadianwali, Tehsil & Dist. Jalandhar by M/s Triworld Developers has been received with the request to submit comments/ view points of PSPCL.

The case under consideration being a residential project, as such, following check list of points may also be considered/ kept in view while processing the case for issuance of license under PAPRA Act 1995:-

- 1. Application of the Promoter containing electrical layout plan, load sheet and affidavit as per requirement may be submitted to PSPCL, for provisional report/Comments, if required.
- 2. After the LOI/ Licence/ layout plan (drawing) is issued/ approved, the proposed electrical system drawn out as per approved layout plan should be submitted to CE/Commercial, PSPCL Patiala alongwith Load Sheet giving details of the proposed electrical load, as per PSPCL norms / instructions for issue of Final NOC of PSPCL.
- 3. All the constructions work i.e. erection / installation of HT & LT lines/ Transformers to be under taken by the Promoter would be strictly according to the standard technical norms of PSPCL and under Indian Electricity Rules 1956 (amended to date) and as per approved electrical layout plan of Final NOC to be issued by PSPCL.
- 4. The existing HT / LT lines which are required to be shifted / realigned from the proposed land would be at the expenses of Promoter as per relevant / prevalent Commercial norms of the PSPCL.
- 5. The relevant Indian Electricity Rules / Standards do permit road crossings at an angle (right angle desirable) but there is no provision for establishing a new road below an EHT line. At the initial stage of planning a new colony / township such complications should be avoided by all means. No construction shall be made under the EHT/LT lines, only a corridor (no construction zone) shall be left below the

46

EHT/LT lines and that appropriate clearances from the existing lines shall be maintained as per Indian Electricity Rules 1956 (amended to date).

- 6. If the existing feeder of PSPCL can not take up the proposed load and requires augmentation, the cost for the same shall have to be deposited by the promoter as per Supply Code 2014. Also, if a new feeder is necessitated for feeding load of the Supply Code 2014.
- 7. If at any stage, the proposed/connected load of the colony exceeds 4000 KVA, the supply to the colony can be given at 66 KV supply voltage and cost of 66 KV Sub-Station/ Line alongwith allied equipements shall be borne by the promoter & land for 66 KV Sub-Station shall also he provided free of cost by the promoter as per Supply Code 2014.
- 8. If at any stage, the Government / Promoter revises the layout plan of the colony due to extension of the colony, the promoter shall be liable to take the revised NOC besides payment of other penalties / levies as per norms of PSPCL.
- 9. The load shall be released as per rules, seniority and as per policy / regulations at the time of release of load.
- 10. A cost estimate is required to be made to estimate / workout the cost that shall have to be incurred / borne by PSPCL, if this entire work of development of the electrical LD system in / for the proposed colony (including arrangements for single point supply etc.) is to be done by PSPCL. This estimation of costs be done at the presently prevailing rates and may be subjected to a condition that the rates as applicable at the time of execution shall be applicable. While issuing Final NOC, the CE / Commercial, PSPCL, Patiala shall intimate this cost estimate to the Promoter / PUDA, in order that PUDA makes an arrangement for securing amounts to this extent, so that in case the Promoter fails to develop the colony as per conditions laid in the licence and PUDA / PSPCL is required to develop the Electrical system in / for the residential colony, no problem should be faced in arranging the funds for getting the electrification done immediately. The funds so required for the execution shall be placed at the disposal of PSPCL within 15 days of the default of the Promoter having been notified / intimated to PUDA. This is being stipulated so that the residents / owners of the plots, the prospective consumers (customers) ci PSPCL, are not denied electric connections by PSPCL at a later stage for want of timely electrification of the residential colony by the Promoter especially because under the statute the legal responsibility of release of connections lies with PSPCL.
- 11. While deciding the amount of 25% Bank Guarantee to be obtained by PUDA from the Developer, the realistic value of estimates for electrical works be included after authenticated by PSPCL and Promoter / Developer may be asked to submit Bank Guarantee with PSPCL.
- 12. Where Developers have electrical works incomplete, then PSPCL must be paid / compensated with the cost of incomplete work, so that the same are completed departmentally by PSPCL.

Dy.CE/ Regulation, for Chief Engineer / Commercial, PSPCL, Patiala.



From

DEPTT. OF TOWN AND COUNTRY PLANNING PUNJAB

Senior Town Planner,

Jalandhar.

To

M/S Triworld Developers 1994, A.A.

C/o Sh. Joginder Singh s/o Sh. Gurcharan Singh R/O H.No. 95, Adarsh Nagar,

Jalandhar.

Memo No. 2462 Dated: 4/10/17

STP(J)/ CLO(3)

Subject:

CLU for Residential Colony at Village Qadianwali (H.B.No. 292) Tehsil & District

Jalandhar. (Area 10.61 Acre after deducting the area of road widening).

Ref:

Your Application dated 29.09.2017.

Your request for change of land use for an area measuring 10.68 Acre for Residential purpose at Village Qadianwali (H.B.No. 292) Teh. & District Jalandhar for setting up of Residential Colony has been considered. Permission to use the said 10.61 Acre land for Residential purpose is hereby granted on the following terms and conditions. The detail of land as verified the Tehsildar, Jalandhar-I is given as under:

	7	Scheme		per bandi		Khasra No.	Mustil No.	Khatoni no.	Khewat No.
				M	K-				
		00	08	00	08	18	21	153	118
	1	08	02	09	02	13/2/2	21	153	118
	1	11	07	11	07	22	21	153	118
	1	00	01	00	01	23/1	21	153	118
147			01	11	01	2/1	24	153	118
111.	HCT ZU	05 0	00	05	00	3/1	24	153	118
	OCT 201	14 9	06	14	06	21	21	153	118
	1 .	02	01	02	01	28	21	153	118
		15	05	15	05	25	22	153	118
ATTEST	CORV	11	01	11	01	5/1	23	153	118
711120	O COST	TOHR	01	11	01	1/1	24	153	118
		11	00	02	01	29	21 ·	164	127
25321	DY Joland	18/00	05	19	05	20/2/2	20	229	180
25321	Ph. 222	02)	00	02	00.	15/2/2	21	229	180
		11/	07	12	07	16/2	21	229	180
		03	03	04	03	19/2/2	20	231	182
	- 1	04	06	04	06	21/1	20	231	182
	D .	TA	00_3	17	00	22/1	20	231	182
•	RY	12	.60	12	00	1/1	25	. 231	182
/		13-	// 000	13	00	17/2	21	230	181
Ĭ,	160	16	01.5	16	01 -	24/1	21	230	181
1/2	1	02	,05	06	00	6/2	24	226	177
*	SINGH!	Ja Hoise		14	0 5	5/1	24	227	178
l li	VOCATO		ya. ()	03	07	25 .	21	· 232	183
ļ.	Uise.	,01	,\04	00	07	23/2	21	154	119
Į;	. 2234	07	0,7	07	07	17/1	21	157	122
		03	01	07	02	14/1	21	158	122
7	FINTIA	102	03	04	06	24/2	21		
•	F	240	85	al	Tot				

- 2. The issue of ownership of the land is independent and exclusive of permission of change of land use. Therefore, this permission of C.L.U does not in any manner grant or effect ownership right of this land, which have to be determined by the competent authority. The promoter in whose hand this change of land use lies shall be bound by the decision of such competent authority
- The promoter shall develop the site as a single unit after taking licence under PAPRA (Ammendment-2006) from the Competent Authority and shall not bifurcate the site.
- Promoter shall be responsible for litigation if any, regarding land owner ship in any court of law.
- Promoter shall have to get layout plan/zoning plan/building plan approved from Competent Authority.
- 6. Promoter shall not undertake development works/construction until Layout plan/building plan is approved by the prescribed authority.
- 7. Through Revenue Rastas and Pucca Road passing through the site shall be kept un obstructed.
- Promoter shall obtain NOC from PPCB under the Water (Prevention and control of pollution) Act, 1974. Municipal Solid Waste Management and Handling Rules 2008 or any other relevant Act before undertaking any development at site.
- 9. Promoter shall obtain completion certificate from competent authority and submit the same to concerned competent authority.
- 10. Promoter shall ensure minimum distance from nearby residential area if any as prescribed by PPCB, Department of environment, Govt. of India, Ministry of Commerce and Industry, Petroleum and Explosive Safety Organisation (PESO) (Formerly Department of Explosives), or other authority in this regard and as per notification dated 25.708 of the department of Science and Technology and Environment, Punjab.
- 11. Promoter shall not make any construction under L.T./H.T. transmission Electric Lines if, passing through the colony or shall get these lines shifted by applying to the concerned Authority.
- 12. This permission shall not provide any immunity from any other Act/Rules/Regulation applicable to the land in question.
- 13. Promoter shall obtain permission for approach through the Forest Land from the forest Lan
- 14. This permission can be withdrawn at any time in case of any type of litigation /violation.



- 15. Promoter shall make provision for the disposal of rain/ storm water and shall not obstruct the flow of rain/storm water of the surrounding area.
- 16. The promoter shall make provisions for solar system and plantation in the premises as per building byelaws or instructions from the govt. issued from time to time.
- 17. Regarding point "A" of the above order, ownership/ revenue record of the site is as per verified from the revenue department.
- 18. The promoter shall make provisions for rain water harvesting and plantation in the premises as per building bye-laws or instructions from the govt. issued from time to time.
- Promoter shall obtain any other permission required under any other act at his level.
- The Promoter shall ensure that Residential Colony has been set-up in the same khasra numbers for which site the CLU has been granted and construction is as per sanctioned building plan and get the completion certificate from the Competent Authority.
- Since the site falls on Jalandhar-Partappura Road which is 88'-0" wide road as per the proposal of Master Plan, Jalandhar. Applicant shall leave required strip of 6'-0" wide from his own land to widen the existing road to 88'-0" to 100'-0" as per Self Declaration given by him in the Office of District Town Planner, Jalandhar without claiming any compensation.
- Developer should mention the treatment and disposal arrangement of sewerage and waste water. All the expences for disposal and treatment plant are to be incurred by the developer and Authority is not responsible for providing all the services.
- As per Memo No. PUDA/CA/2013/1713-16 dated 27.02.2013 Restrictions in the area are imposed on construction and installation of any new structure for extraction of ground water resources without prior specific approval of the Authorized Officer (Deputy Commissioner) of the District and subject to the guidelines/ safeguards envisaged from time to time in this connection by Authority for ground water extraction and rain water harvesting/ recharge etc.
- 24 Promoter shall develop the site as per the proposal of Master plan, Jalandhar.
- 25 Applicant shall comply with the provisions of Punjab ECBC-2016 and amended from time to
- Permission granted under the chapter shall remain in force in accordance with the terms and conditions of such permission. In case there is any change in Master Plan of the area for which permission has been granted, the permission so granted, if not availed shall large after a period of two years from the date of notification of such change in the Master Plan Jalandhar.

The receipt of CLU Charges received is hereby 2. These Charges are tentative actual charges will be calculated at the time of approval of Lay Out Plan. The details of its charges is as below:

Sr.No.	Charges	Draft No.	Dated	Amount	Charges in fathur d	1 2000 - 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1	CLU	001536	27.09.2017	39,78,750/-	Senior-Tor France	r Janadhar
					1	A STATE OF THE STA

NOTAR 1 Jack Planner, Jalandhar.

3

Endst.No.

STP (J)/

Dated:

Copy is forwarded to the following for information and necessary action:-

- The Chief Administrator JDA, Jalandhar with the request that EDC, LF./P.F. Charges shall be recovered at your own level.
- The Chief Administrator Punjab, Urban Development Authority Mohali towards SIF Charges amounting Rs.1,98,950/- deposited by applicant on dated 27.09.2017 in on-line account No. 35627447992 (UTR No. AXSK172700011048 Axis Bank).
- 3 Chief Town Planner, Punjab, Chandigarh.
- 4 Chairman, Punjab Pollution Control Board, Patiala.
- 5 Chief Conservator of Forests, Punjab, Chandigarh.
- 6 District Town Planner, Jalandhar w.r. to their letter No. 1854 DTP(J)/CLU-1(J) dt. 25.09.2017.

DA/ As above

Senior Town Planner, Jalandhar.




PHOTO CURE LITESTED

NOTARY Allandbar (th) 1 dia

- 9 OCT 2011.

(Provincial)

52

- 9 OCT 201/

þ

te n n er aı

in on

ale ial ith pil

10



CIN: U74140PB2011PTC034739

TEST REPORT

Annexure 6



6-Ref. No. Lab/3238892 Dated-30.09,2011

Not Valid for Consent Purpose

ULR No. : TO	C747720000001014F	Test Report No.:	EL060820NN002				
Type of Sample: Ar	mbient Noise	Date of Reporting: 11/08/2020					
Customer	Residential Project "Royal Residency" (Group Housing Project) by M/s Triworld Developers Loacted at 66 feet Road, Vill.Kadianwali, Jalandhar	Work Order No. & Date	Telephonic Order Dt.: 23/07/2020				
	(Pb)	Customer reference No. (If any)	NA				
Sampling Protocol	IS 9989-1989, RA 2008	Mode of Collection of Sample	Sampling by laboratory				
Date of Sampling	05/08/2020	Date of Receipt of Sample	06/08/2020				
Sampling Location	Project Site (Corner 1,2,3,4 & center)	Period of Analysis	06/08/2020 To 07/08/2020				
Testing Protocol	IS 9989-1989, RA 2008						
Testing Location	esting Location Site Testing						

RESULTS

I- Chemical Testing

1. Atmospheric Pollution (Ambient Noise Level)

S.No.	Test Parameter	Units	Results	Method	
1	Ambient Day Time Noise Levels	dB(A)	54.4	LAB SOP: EL/SOP/NL/01	

Ambient Noise Quality Standards as per Noise Pollution (Regulation and Control) Rules, 2000

Area Code	Category of Area/Zone	Limits	Limits in dB(A) Leq*		
		Day Time	Night Time		
А	Industrial area	75	70		
В	Commercial area	65	55		
С	Residential area	55	45		
D	Silence Zone	50	40		

Day time shall mean from 6.00 a.m. to 10.00 p.m., Night time shall mean from 10.00 p.m. to 6.00 a.m., Silence zone is an area comprising not less than 100 meters around hospitals, educational institutions, courts, religious places or any other area which is declared as such by the competent authority, Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

*dB(A) Leq denotes the time weighted average of the level of sound in decibels on scale 'A' which is relatable to human hearing

Remarks:

NA

OTHER INFORMATION

Abbreviation:

ULR: Unique Lab Report, BDL: Below Detection Level, NA: Not Applicable

Terms & Conditions:

Please refer terms and conditions on backside of Test Report (Page-1)

End of Report

Checked by QA

Dr Rai Singh
Authorized Signatory-Chemical

Format No.: .F/7.8.2-AN-01-26.11.19 Rev04



CIN: U74140PB2011PTC034739

TEST REPORT



PCB-Ref. No. Lab/3203892 Dated-30.09.2011

Not Valid for Consent Purpose



ULR No. : To	C74772000001013F	Test Report No. :	EL060820NA001
Type of Sample: Ar	mbient Air Quality	Date of Reporting:	11/08/2020
Customer	Residential Project "Royal Residency" (Group Housing Project) by M/s Triworld Developers Loacted at 66 feet Road, Vill.Kadianwali, Jalandhar	Work Order No. & Date Telephonic Order 23/07/2020	
	(Pb)	Customer reference No. (If any)	NA
Sampling Protocol	IS:5182 and CPCB Air Manual Volume-I	Mode of Collection of Sample	Sampling by laboratory
Date of Sampling	05/08/2020	Date of Receipt of Sample	06/08/2020
Sampling Location	Park (Near Project Site-Office)	Period of Analysis	06/08/2020 To 11/08/2020
Testing Protocol	IS:5182 and CPCB Air Manual Volume-I (NAAQMS/36/2012-13) / CPCBNAAQS-2009	Environmental Conditions	Partial cloudy
Testing Location	Site Testing & Permanent Facility		

RESULTS

I-Chemical Testing

1. Atmospheric Pollution (Ambient Air)

S.No.	Test Parameter	Unit	Result	Standard	Method
1	Particulate Matter (as PM10)	μg/m³	89	100	IS: 5182 (Part-23) : 2006, RA 2017
2	Particulate Matter (as PM2.5)	μg/m³	50	60	Lab SOP: EL/SOP/AAQ/01
3	Sulphur Dioxide (as SO2)	μg/m³	13	80	IS: 5182 (Part-2) : 2001, RA 2017
4	Nitrogen Dioxide (as NO2)	μg/m³	27	80	IS: 5182 (Part-6): 2006, RA 2017
5	Ammonia (as NH3)	μg/m³	19	400	Lab SOP: EL/SOP/AAQ/02
6	Ozone (as O3)	μg/m³	26	180	IS: 5182 (Part-9): 1974, RA 2014
7	Carbon Monoxide (as CO)	mg/m³	0.69	04	IS: 5182 (Part-10) :1999, RA 2014

Remarks:

NA

OTHER INFORMATION

Abbreviation:

ULR: Unique Lab Report, BDL: Below Detection Level, NA: Not Applicable

Terms & Conditions:

Please refer terms and conditions on backside of Test Report (Page-1)

End of Report

Checked by QA

Format No.: .F/7.8.2-AA-01-26.11.19 Rev 04

Dr Rai Singh

Authorized Signatory-Chemical

and the second



CIN: U74140PB2011PTC034739

TEST REPORT



-Ref. No. Lab/3233892 Dated 30.09.2011



ULR No. : TO	C74772000001012F	Test Report No. :	EL050820NS001	
Type of Sample: So	oil.	Date of Reporting:	11/08/2020	
Customer	Residential Project "Royal Residency" (Group Housing Project) by M/s Triworld Developers Loacted at 66 feet Road, Vill.Kadianwali, Jalandhar	Work Order No. & Date	Telephonic Order Dt.: 23/07/2020	
	(Pb)	Customer reference No. (If any)	NA	
Sampling Protocol	USEPA/600/R-92/128	Mode of Collection of Sample	Sampling by laboratory	
Date of Sampling	05/08/2020	Date of Receipt of Sample	05/08/2020	
Sampling Location	Park (Near Project Site-Office)	Testing Location	Permanent Facility	
Testing Protocol	IS:2720 & IS:14767	Period of Analysis	05/08/2020 To 11/08/2020	
Sample Description	Brown coloured soil			
Packing, Markings, S	Seal & Qty. Poly Bag Marked 'D/02' 1 kg			

RESULTS

I. Chemical Testing

1. Pollution & Environment (Soil)

S.No.	Test Parameter	Unit	Results	Test Method
1	рН		8.39	IS:2720 (P-26) 1987 RA2016
2	Conductivity	mmhos/cm	0.201	IS:14767: 2000 RA2016
3	Moisture Content	%	11	IS:2720 (P-II) 1973 R 2015
4	Organic Matter	%	1.4	IS:2720 (Part XXII) 1972 R2015
5	Texture		Sandy loam	IS:2720 (Part 4) 1985 RA2015
6	Bulk Density	gm/cc	1.82	IS: 2720 (Part - III):1980 RA2016

Remarks:

NA

OTHER INFORMATION

Terms & Conditions:

Abbreviation:

ULR: Unique Lab Report, BDL; Below Detection Level, NA: Not Applicable Please refer terms and conditions on backside of Test Report (Page-1)

End of Report

Checked by QA

Dr Rai Singh Authorized Signatory-Chemical

Format No. F/7.8.2-S-01 18.06.20 Rev 05



CIN: U74140PB2011PTC034739

TEST REPORT



Pacs-Ref. No. Lab/3208892 Dated-30.09.2011 Not Valid for Consent Purpose



ULR No. : TO	74772000001011F	Test Report No.:	EL050820NW004/A	
Type of Sample: Gi	ound Water	Date of Reporting:	11/08/2020	
Customer	Residential Project "Royal Residency" (Group Housing Project) by M/s Triworld Developers Loacted at 66 feet Road, Vill.Kadianwali, Jalandhar	Work Order No. & Date	Telephonic Order Dt.: 23/07/2020	
	(Pb)	Customer reference No. (If any)	NA	
Sampling Protocol	IS:3025 (P-1) 1987 RA2019	Mode of Collection of Sample	Sampling by laboratory	
Date of Sampling	05/08/2020	Date of Receipt of Sample	05/08/2020	
Sampling Location	Borewell No.2	Testing Location	Permanent Facility	
Testing Protocol	IS 10500 : 2012 (Second Revision)	Period of Analysis	05/08/2020 To 11/08/2020	
Sample Description	Clear, colourless liquid.	1		
Packing, Markings, S	eal & Qty. Plastic & Glass Bottles Marked 'D/02' 2 litr	e + 250ml + 500ml		

RESULTS

I -Chemical Testing

1. Water (Ground Water)

S.No.	Test Parameter	Unit	Result	Acceptable limit	Permissible limit in absence of alternate source	Test Method
1	Colour	Colour Units	BDL(DL 5)	5	15	IS:3025(P-4):1983 RA2017
2	Odour	-	Agreeable	Agreeable	Agreeable	IS: 3025 (P-5): 1983 RA 2018
3	pН	-	7.21	6.5-8.5	No relaxation	IS:3025(P-11): 1984RA2017
4	Turbidity	NTU	BDL(DL 0.1)	1	5	IS:3025(P-10):1984 RA2017
5	Chloride	mg/l	52	250	1000	IS:3025(P-32) :1988 RA2019
6	Iron	mg/l	0.07	1.0	No relaxation	IS:3025(P-53):2003 RA 2019
7	Total hardness	mg/l	284	200	600	IS:3025(P-21) :2009 RA2019

Remarks:

NA

OTHER INFORMATION

Abbreviation:

ULR: Unique Lab Report, BDL: Below Detection Level, NA: Not Applicable

Terms & Conditions:

Please refer terms and conditions on backside of Test Report (Page-1)

End of Report

Checked by QA

Format No. F/7.8.2-W-01-18.06.20 Rev 05

Dr Rai Singh Authorized Signatory-Chemical

Page No. 1/1

ECO BHAWAN E-207, Industrial Area, Phase VIII-B (Sector-74), Mohali (Punjab) 160071

TeleFax: 0172-4616225 M: 9781303109 consulteco@yaho ecolab@ecoparyavaran.org www.ecoparyavaran.org



CIN: U74140PB2011PTC034739

TEST REPORT



PACE-Ref. No. Lab/3233892 Dated-30.09.2011

Not Valid for Consent Purpose

				11 NOOG
ULR No. : N	A		Test Report No. :	EL050820NW004/B
Type of Sample: G	round Wate	r	Date of Reporting:	11/08/2020
Customer	(Group Ho	Project "Royal Residency" using Project) by M/s Triworld Developers 66 feet Road, Vill.Kadianwali, Jalandhar	Work Order No. & Date	Telephonic Order Dt.: 23/07/2020
	(Pb)		Customer reference No. (If any)	NA
Sampling Protocol	IS:3025 (P-	1) 1987 RA2019	Mode of Collection of Sample	Sampling by laboratory
Date of Sampling	05/08/202	0	Date of Receipt of Sample	05/08/2020
Sampling Location	Borewell N	lo.2	Testing Location	Permanent Facility
Testing Protocol	IS 10500:	2012 (Second Revision)	Period of Analysis	05/08/2020 To 11/08/2020
Sample Description	Clear, colo	urless liquid.	•	
Packing, Markings, S	Seal & Qty.	Plastic & Glass Bottles Marked 'D/02' 2 litr	re + 250ml + 500ml	

RESULTS

II -Biological Testing

1. Water (Ground Water)

S.No.	Test Parameter	Unit	Result	Acceptable limit	Permissible limit in absence of alternate source	Test Method
1	Total coliforms	CFU/100ml	Absent	Absent	27	IS:15185 :2016
2	Escherichia coli	CFU/100ml	Absent	Absent	-	IS: 15185 :2016

Remarks:

NA

OTHER INFORMATION

Abbreviation:

ULR: Unique Lab Report, BDL: Below Detection Level, NA: Not Applicable

Terms & Conditions:

Please refer terms and conditions on backside of Test Report (Page-1)

End of Report

Checked by QA

Simranjit Kaur Authorized Signatory-Biological

Dr Rai Singh Authorized Signatory-Chemical

Format No. F/7.8.2-W-01-18.06.20 Rev 05

MUNICIPAL CORPORATION, JALANDHAR

Annexure 7

From

Superintending Engineer (O&M) Municipal Corporation, Jalandhar

To

M/s Triworld Developers, Through S. Joginder Singh, Qadianwali, 66 Footi Road, Jalandhar

Memo No. 1021/SE/OTM

Dated 10 -01-2018

Sub: Issuance of NOC regarding disposal of sewage treated water into main Municipal Corporation sewer, NOC regarding disposal of solid waste to main Municipal Corporation Solid waste collection centre of Residential colony to be developed in Village Qadianwali, 66 Footi Road, Jalandhar.

Reference your application for issuance of N.O.C. regarding disposal of sewage treated water. N.O.C. is hereby granted to the firm with the following terms and conditions:

- (1) The firm is allowed to dispose the sewage treated water into Municipal Corporation sewer at 66 Footi Road through any source which will be treated in the Sewerage Treatment Plant installed by the Municipal Corporation, Jalandhar at Pholriwal.
- (2) The firm shall provide the sewerage facilities to the residential colony at its own cost rafter getting NOC/Approval from Municipal Corporation, J.D.A., Jalandhar, P.W.D. (B&R) and Forest Department.
- (3) The Promoter will develop the Residential Colony by laying Water Supply & Sewerage System, Rain Water Re-charging System, Storm Water Re-charging System and Electrification System as per the norms and specifications of Municipal Corporation, J.D.A. Jalandhar, P.W.D. (B&R) and PWSSB. Any violation in this regard shall be serious viewed.
- (4) The firm shall make the payment of Sewerage Disposal Charges @ Rs. 3.80 Per Kilo Litre on the domestic basis.
- (5) The firm shall intimate in writing to the Municipal Corporation before disposing off the sewage treated water so that actual Demand Notice may be issued after proper calculations.
- (6) The Promoter will only discharge sewage treated water into Municipal Sewer and no storm water will be allowed to be discharged in the Municipal Sewer.
- (7) If the rates of Sewerage Disposal Charges are revised in near future then the firm shall make the payment as per the new Notification issued by the Local Govt. at that time.
- (8) The firm is not allowed to dispose off the sewage water on the open dumps. The firm shall be held responsible for any such type of negligency.

- (9) The firm undertakes to pay One Time Lumpsum Sharing Charges whenever sewerage infrastructure will be provided by Municipal Corporation, Jalandhar in this area.
- (10) The firm shall make its own arrangement for door to door collection of garbage and transportation to the nearest dumping site of Municipal Corporation and Municipal Corporation will lift the garbage from the collection centre.
- (11) The firm shall abide by the Municipal solid waste (Management and Handling) Rules, 2000. Any Violation of the provision of the Municipal Solid waste (Management and Handling) Rules, 2000 shall be seriously viewed.
- (12) The firm shall install its own Sewerage Treatment Plant with new technology as per the guidelines of PCCB and arrangement of Water Supply at its own cost and the firm shall also install Storm Water Re-charging System in the premises of Residential Project.
- (13) The firm shall install Rain Water Harvesting System with new technology and Discharge Meter on the tubewell at its own cost as per the guidelines of Hon'ble Punjab & Haryana High Court and the directions of Govt. of Punjab and the firm shall utilise only the sewage treated water or surface water sources for construction purposes.

Superintending Engineer (O&M)
Municipal Corporation
Jalandhar

POLLUTION UNDER CONTROL CERTIFICATE

Authorised By: JALANDHAR RTA Transport Commissionerate, Punjab

FUEL

Annexure 8



Yahire

TEST RESULT : PASS VALID TILL: 06/Feb/2021

DIESEL DRIVEN VEHICLES

Certified that the vehicle conforms to the standards

prescribed under rule 115(2) of CMV Rules 1989

Light Absorption Coefficient

(Permissible Limit)

2.45

Confesso III. No.:

PB080G8068 PB080G8068

Registration No.

MAIZUZTBKHIA16850

Engine No.

TBHIA45768 Goods Carrier MAHINDRA &

Milite

MAHINDRA LIMITED BOL PICKUP CBC PS

Joseph .

1.5 T BS4

Vehicle Category

LIGHT GOODS VEHICLE

Date of Registration

22/Mar/2017

Emission Norms

BHARAT STAGE III

Willey.

DIESEL

Dalle of Trisking

07/Aug/2020

PUC Equipment

Manufacturer Name

coner wante

PUC Equipment

MAN.

Manufacturer Model

EDM1601

Name

PUC Equipment Senal

No.

S0457

Time of Testing

11:50:34

Fee Charged:

Rs.100.0

(one hundred rupees

only)

to case of any complain Please write to Transport

Commissioner Punjab

Auto Emission Testing Centre Code:


PB0080108

Testing Centre Name: ANAND

POLLUTION CHECK CENTRE

Centre Address: OLD PHAGWARA ROAD, JALANDHAR, 144005

Test Conducted By: POOJA RANI



TEST RESULT FOR DIESEL VEHICLE

IDLE RPM	MAX RPM	K VALUE	OIL TEMP
867.0	2422.0	0.75	0.0
813.0	2469.0	1.28	0.0
950.0	2580.0		0.0
876.66667	2490.33334	1.08	0.0
	867.0 813.0 950.0	867.0 2422.0 813.0 2469.0 950.0 2580.0	867.0 2422.0 0.75 813.0 2469.0 1.28 950.0 2580.0 1.21

This is a computer generated certificate and does not require signature.
Fuel Norms entered by PUC center PB0080108 manually, Please visit RTO and correct norms.

aspar Sio Shankar Dass. holding Indian Passport No. J1985726, Dated 20.05.2010, issued at Bahrain, having permanent residence at Mohalla Prempura, Phagwara P.O. District Kapurthala, Punjab. Presently residing at Flat 16, Bldg 1009, Road 1214, Hidd 112, Bahrain do hereby changes my name as (Given name) Jaspa) (Surname) Shankar Dass. Objection(s), if any, may be forwarded to Embassy of India, P.O. Box 26106, Bldg. 1090, Road 2819, Block 428, Al Seef, Bahrain.

ic

d

e,

al

14

n

3-

al

er

0

et

e

e.

is

y

e

of at ng

w x h ra w ra en ed in th

ny in sh of

PUBLIC NOTICE

I, Aman Sharma S/o No. 13758049N Rank Ex L/Nk Balwant Raj R/o Tatapani Teh. Kalakote Distt. Rajouri hereby declare that my real name is AMAN SHARMA but in my Relationship Certificate it is wrongly spelled as AMMAN SHARMA. Although Aman Sharma and Amman Sharma is one and the same person, but the correct name is AMAN SHARMA and needs to be rectified in the relationship certificate. Objections if anybody have may be filed to the concerned authorities.

HOUSING BOARD HARYANA, BAHADURGARH

PUBLIC NOTICE

It is for the information of General public that Smt. Alka Garg W/o Sh. Vijay Garg R/o H.No. 2173, Sec.-8, Faridabad (Hr.) has applied for transfer of their Flat No. 1805/GF/Type-A situated in Housing Board Colony Sector-9, Bahadurgarh, Distt. Jhaller in favour of Sh. Vishal Sharma Wo S. Hari Ram Sharma R/o Vill Uchana, Distt. Karnal to this office. Any person regarding transfer of this house has any objection he/she should file objection with documentary proof in writing, in person, to this office within 15 days from the date of publication of this notice. If no objection is received from any person within stipulated period, the permission for transfer of flat will be granted in favour of Sh. Vishal Sharma W/o S. Hari Ram Sharma R/o VIII. Uchana, Distt. Karnal on the basis of documents or policy of the

publication of this notice, if no objection/claim is received from any person within stipulated period, the Permission for transfer of the above said flat shall be transferred accordingly on the basis of documents submitted as per policy of the Board. No claim/objection after that shall be entertained in this regard.

- Estate Manager, Housing Board Haryana, Bahadurgarh

Public Notice

It is for the information of General Public that M/s Triworld Developers has been granted Environmental Clearance by State Level Environment Impact Assessment Authority (SEIAA), Punjab for the development of the 'Group Housing Project' which is located at 66 ft. road, Village Kadianwali (H.B No. 292), Jalandhar, Punjab vide Letter No. DECC/SEIAA/2019/828/ 114 dated 29.08.2019 through our Environmental Consultant "M/s Eco Laboratories & Consultants Pvt. Ltd., Mohali. The copy of the Environmental Clearance along with the conditions to be complied is available with Environmental Clearance portal and with the Project proponent. The interested person (s) can contact either of the two.

M/s.Triworld Developers 66 ft. road, Village Kadianwali (H.B No.292), Jalandhar, Punjab.

M/s. Eco Laboratories & Consultants Pvt. Ltd. E-207, Industrial Area, Phase VIII-B, Sector-74, Mohali, Punjab

> To book your Classifieds ad call

9815006868

שר בוסיטי אי ופטוב ਇਸ ਮੁਖਤਿਆਰ-ਆਮ ਦੇ ਆਧਾਰ VAnnexure 94 8H-2, MdR/ ਅਸਟੇਟ, ਪਟਿਆਲਾ ਵਿੱਚੋਂ ਸ਼ੀ ਗੋਰਵ ਕੁਮਾਰ ਦਾ ਹਿੱਸਾ ਸ਼੍ਰੀ ਦੀਪਕ ਕੁਮਾਰ ਪੁੱਤਰ ਸ੍ਰੀ ਸ਼ਾਮ ਸੁਦਰ ਅਤੇ ਸ਼੍ਰੀਮਤੀ ਪੀਤੀ ਪਤਨੀ ਸ਼੍ਰੀ ਦੀਪਕ ਕੁਮਾਰ ਦੇ ਨਾਮ ਤੋਂ ਵੇਚ ਸਬੰਧੀ ਅਨ ਓ ਸੀ, ਦੀ ਆਗਿਆ ਜਾਰੀ ਕਰਨ ਦਾ ਕੇਸ ਇਸ ਦਫ਼ਤਰ ਪਾਸ ਵਿਚਾਰ ਅਧੀਨ ਹੈ।ਇਸ ਪਲਾਟ ਦੀ ਵੇਚ ਸੰਬੰਧੀ ਆਗਿਆ ਦੇਣ ਤੋਂ ਪਹਿਲਾਂ ਸੂਚਿਤ ਕੀਤਾ ਜਾਂਦਾ ਹੈ ਕਿ ਇਸ ਬਾਰੇ ਕਿਸੇ ਨੂੰ ਕੋਈ ਇਤਰਾਜ ਹੋਵੇ ਤਾਂ ਇਸ ਵਿਗਿਆਪਨ ਦੀ ਮਿਤੀ ਤੋਂ 15 ਦਿਨਾਂ ਦੇ ਅੰਦਰ-ਅੰਦਰ ਆਪਣਾ ਇਤਰਾਜ ਇਸ ਦਫ਼ਤਰ ਪਾਸ ਨਿਖੜੀ ਰੂਪ ਵਿੱਚ ਦੇ ਸਕਦਾ ਹੈ। ਨਿਲੇਚਿਤ ਮਿਤੀ ਅਤੇ ਸਮੇਂ ਤੋਂ ਬਾਅਦ ਪਾਪਤ ਇਤਰਾਜ ਤੇ ਕੋਈ ਵਿਚਾਰ ਨਹੀਂ ਕੀਤਾ ਜਾਵੇਗਾ ਅਤੇ ਮੁਖਤਿਆਰ-ਆਮ ਨੂੰ ਉਕਤ ਪਲਾਟ ਦੀ ਵੇਚ ਸੰਬੰਧੀ ਆਗਿਆ ਸ਼ੀ ਦੀਪਕ ਕੁਮਾਰ ਪੁਤਰ ਸ਼ੀ ਸ਼ਾਮ ਸੁਦਰ ਅਤੇ ਸ਼ੀਮਤੀ ਪੀਤੀ ਪਤਨੀ ਜ਼ੀ ਦੀਪਕ ਕੁਮਾਰ ਦੇ ਨਾਮ ਤੇ ਜਾਰੀ ਕਰ ਦਿੱਤੀ ਜਾਵੇਗੀ। ਅਸਟਟ ਅਫ਼ਸਰ ਪੁੱਛਾ, ਪਟਿਆਲਾ।

education

COACHING

SURYA Coaching Class 1-8 (All Subjects),9 -12 (Phy. Chem.Math Bio), IELTS,comp class at Dhakoli Contact 9914248158,9779316739

personal

CHANGE OF NAME

I No. 15495856-N Rank ALD Arvind Kumar, 18 CAVALARY A SQN C/o 56 APO. In my army record my son's name recorded Sauraya but his correct name is Shaurya Hudda for all future purposes.

I, Mandakini Spouse of ALD Chaudhari Dharmendra Shivaji Resident of Qtr No.144/01 New Red Colony 90 Armd Regt Amritsar (PB) have changed my name from Mandakini to Mandakini Dharmendra Chaudhari Vide Affidevit Dt.18-09-2019 Before Court of Amritsar

I No. JC-421276X Ex Sub Dalair singh VPO Mundkhar Teh Bhoranj Distt Hamirpur HP declare to correct my wife's name from Kamlesh Thakur to ਇਨ੍ਹਾਂ ਬੁਣਿਆਂ ਨੂੰ ਠਕਸਾਨ ਕੇ । ਪਿੰਡ ਦੇ ਕੁਝ ਸ਼ਰਾਤਰੀ ਤੋਂ ਇਸ ਜ਼ਮੀਨ 'ਤੇ ਕਬਜ਼ਾ ਲਗਾਉਣੇ ਸ਼ੁਰੂ ਕਰ ਇੱਤੇ, ਜੋ ਵਰੇ। ਕਰ ਸਕਦੀ। ਲੋਕ ਅਦਾਲਤ 'ਚ ਫੈਸਲਾ ਕਰਵਾ ਸਕਦੇ ਹਨ। ਉਨ੍ਹਾਂ ਦੱਸਿਆ ਕਿ ਇਹ ਜਮੀਨ ਪਹਿਲਾਂ ਹੀ ਸਰਕਾਰ ਵੱਲੋਂ ਰਜਰ ਬਸਤ ਲਈ ਤੁਪਰਾਏ ਰਾਮਗੜ੍ਹੀਆ ਬਰਾਦਰੀ ਨੂੰ ਅਲਾਟ ਕੀਤੀ ਹੋਈ ਹੈ, ਪਰ ਲੋਕਾਂ ਵੱਲ ਬੇਸ਼ੁਨਿਆਦ ਦੇਸ਼ ਲਗਾਏ ਜਾ ਰਹੇ ਹਨ।



ਾਜ਼ਾਂ ਬਾਰੇ ਦੱਸਦੇ ਹੋਏ ਥਾਣਾ ਮੁਖੀ ਕਮਲਜੀਤ ਸਿੰਘ। (ਸਨੂੰ ਸ਼ਰਮਾ)

ਤੇ ਪਾਊਡਰ ਸਮੇਤ ਦੋ ਕਾਬੂ

ਜਲੰਧਰ

ਸ ਨੇ ਨਾਕੇਬੰਦੀ ਦੌਰਾਨ ਦੇ ਕਰ ਕੇ ਨਸ਼ੀਲਾ ਪਾਊਡਰ ਪੁੱਛਗਿੱਛ ਦੌਰਾਨ ਉਨ੍ਹਾਂ ਨੇ ਈ ਵਾਰਦਾਤਾਂ ਕਬੂਲੀਆਂ ਜਮਰਤ ਸਿੰਘ ਨੇ ਦੱਸਿਆ ਮੁਖੀ ਸਥ-ਇੰਸਪੈਕਟਰ ਤੇ ਪੁਲਿਸ ਸਮੇਤ ਸਿਵਲ ਾਕੇਬੰਦੀ ਕੀਤੀ ਹੋਈ ਸੀ ਲਿਸ ਦਾ ਨਾਕਾ ਦੇਖ ਕੇ ਘਬਰਾ ਗਏ। ਸ਼ੱਕ ਦੇ ਆਧਾਰ 'ਤੇ ਰੋਕ ਕੇ ਜਦੋਂ ਤਲਾਸ਼ੀ ਲਈ ਗਈ ਤਾਂ 50 ਗ੍ਰਾਮ ਨਸ਼ੀਲਾ ਪਾਊਡਰ ਬਰਾਮਦ ਹੋਇਆ। ਉਕਤ ਨੌਜਵਾਨਾਂ ਦੀ ਪਛਾਣ ਮਨਿੰਦਰ ਸਿੰਘ ਉਰਫ ਵਿੱਕੀ ਵਾਸੀ ਹਰਨਾਮਦਾਸਪੁਰਾ ਤੇ ਕਮਲਜੀਤ ਸਿੰਘ ਉਰਫ ਕਮਲ ਵਾਸੀ ਚਰਨਜੀਤਪੁਰਾ ਵਜੋਂ ਹੋਈ ਹੈ। ਦੋਵਾਂ ਖ਼ਿਲਾਫ਼ ਮਾਮਲਾ ਦਰਜ ਕਰ ਲਿਆ ਹੈ। ਬਾਣਾ ਮੁਖੀ ਕਮਲਜੀਤ ਸਿੰਘ ਨੇ ਦੱਸਿਆ ਕਿ ਦੋਵਾਂ ਕੋਲੋਂ ਕੀਤੀ ਗਈ ਮੁੱਢਲੀ ਪੁੱਛਗਿੱਛ 'ਚ ਉਨ੍ਹਾਂ ਨੇ ਖੋਹਬਾਜ਼ੀ ਦੀਆਂ ਚਾਰ ਵਾਰਦਾਤਾਂ ਕਬੁਲੀਆਂ ਹਨ। ਨਸ਼ਾ ਸਮੱਗਲਰਾਂ ਬਾਰੇ ਜਾਣਕਾਰੀ ਦਿੰਦੇ ਹੋਏ ਇੰਸਪੈਕਟਰ ਰਾਜੇਸ਼ ਠਾਕੁਰ।

ਨਸ਼ੀਲੇ ਪਦਾਰਥਾਂ ਸਮੇਤ 2 ਨੌਜਵਾਨ ਕਾਬੂ

ਰਾਕੇਸ਼ ਗਾਂਧੀ, ਜਲੰਧਰ: ਥਾਣਾ-2 ਦੀ ਪੁਲਿਸ ਨੇ ਗਸ਼ਤ ਦੌਰਾਨ ਮੋਟਰਸਾਈਕਲ ਸਵਾਰ ਦੋ ਨੌਜਵਾਨਾਂ ਨੂੰ ਕਾਬੂ ਕਰ ਕੇ ਉਨ੍ਹਾਂ ਕੋਲੋਂ ਨਸ਼ੀਲਾ ਪਾਊਡਰ ਬਰਾਮਦ ਕੀਤਾ ਹੈ। ਥਾਣਾ ਮੁਖੀ ਇੰਸਪੈਕਟਰ ਰਾਜੇਸ਼ ਠਾਤੁਰ ਨੇ ਦੱਸਿਆ ਕਿ ਏਐੱਸਆਈ ਚੈਨ ਸਿੰਘ ਪੁਲਿਸ ਸਮੇਤ ਪਟੋਲ ਚੋਕ ਕੋਲ ਗਸ਼ਤ ਕਰ ਰਹੇ ਸਨ ਕਿ ਇਕ ਮੋਟਰਸਾਈਕਲ 'ਤੇ ਆਏ ਦੋ ਨੌਜਵਾਨਾਂ ਨੇ ਜਿਵੇਂ ਹੀ ਪੁਲਿਸ ਦੇਖੀ ਤਾਂ ਪਿਛਲੇ

ਨੌਜਵਾਨ ਨੇ ਆਪਣੀ ਜੇਬ 'ਚੋਂ ਕਾਲੇ ਰੰਗ ਦਾ ਲਿਫਾਫਾ ਕੱਢ ਕੇ ਬਾਹਰ ਸੁੱਟ ਦਿੱਤਾ। ਸ਼ੱਕ ਪੈਣ 'ਤੇ ਜਦੋਂ ਦੇਵਾਂ ਨੂੰ ਕਾਬੂ ਕਰ ਕੇ ਉਸ ਲਿਫਾਫੇ ਦੀ ਜਾਂਚ ਕੀਤੀ ਤਾਂ ਉਸ 'ਚੋਂ 50 ਗ੍ਰਾਮ ਨਸ਼ੀਲਾ ਪਾਊਂਡਰ ਬਰਾਮਦ ਹੋਇਆ। ਉਕਤ ਨੌਜਵਾਨਾਂ ਦੀ ਪਛਾਣ ਸੁਨੀਲ ਕੁਮਾਰ ਵਾਸੀ ਬੇਜੇਵਾਲ ਕਪੂਰਥਲਾ ਤੇ ਸ਼ੀਤਲ ਵਾਸੀ ਲਸੂਫ਼ੀ ਮੁਹੱਲਾ ਵਜੋਂ ਹੋਈ ਹੈ, ਖ਼ਿਲਾਫ਼ ਮਾਮਲਾ ਦਰਜ ਕਰ ਲਿਆ ਗਿਆ ਹੈ। w.triwo

ran

LIA

Le

ear

ta



ਸਿਟੀ ਰੇਲਵੇ ਸਟੇਸ਼ਨ ਦੇ ਪਲੇਟਫਾਰਮ ਨੰਬਰ ਇਕ 'ਤੇ ਖੜੀ ਮਾਲ ਗੱਡੀ ਅਤੇ ਪਲੇਟਫਾਰਮ ਨੰਬਰ-2 'ਤੇ ਖੜੀ ਦਾਦਰ ਐਕਸਪ੍ਰੈੱਸ

ਮਾਲ ਗੱਡੀ 'ਚ ਆਈ ਸਮੱਸਿਆ

ਜੇਐੱਨਐੱਨ, ਜਲੰਧਰ: ਪਲੇਟਫਾਰਮ 'ਤੇ ਖੜੀ ਮਾਲਗੱਡੀ 'ਚ ਸੋਮਵਾਰ ਬਾਅਦ ਦੁਪਹਿਰ ਸਮੱਸਿਆ ਆ ਗਈ। ਟਰੇਨ ਦਾ ਸਿਗਨਲ ਹੈ ਗਿਆ ਸੀ ਪਰ ਸਮੱਸਿਆ ਕਾਰਨ ਰ੍ਰੀਨ ਸਿਗਨਲ ਨੂੰ ਵਾਪਸ ਹਟਾਇਆ ਗਿਆ। ਅਜਿਹੇ 'ਚ ਪਿੱਛੇ ਅੰਮ੍ਰਿਤਸਰ ਵੱਲ ਜਾਣ ਵਾਲੀ ਦਾਦਰ ਐਕਸਪ੍ਰੈੱਸ ਨੂੰ ਪਲੇਟਫਾਰਮ ਨੰਬਰ-2 'ਤੇ ਲਿਆਂਦਾ ਗਿਆ। ਮਾਲਗੱਡੀ 'ਚ ਆਈ ਸਮੱਸਿਆ ਕਾਰਨ ਪਲੇਟਫਾਰਮ ਨੰਬਰ-1 'ਤੇ ਮਾਲ ਗੱਡੀ ਕਰੀਬ 15 ਤੋਂ 20 ਮਿੰਟ ਤਕ ਖੜੀ ਰਹੀ।

ਕਰੀਆਂ ਦੇਣ ਦਾ ਟੀਚਾ, ਅਧਿਕਾਰੀ ਕੁਝ ਵੀ ਕਹਿਣ ਤੋਂ ਵੱਟ ਰਹੇ ਟਾਲਾ

ਅਧਿਕਾਰੀਆਂ ਨੇ ਧਾਰੀ ਚੁੱਪ

ਸੁਨੀਤਾ ਨਜਵਾਨ ਜਿਨ੍ਹਾਂ ਕੀਤਾ ਹੈ, ਵੱਲੋਂ ਜੋ ਸ਼ੁਰੂਆਤ ਨੌਜਵਾਨਾਂ ਹਨਤ ਤੇ ਤੀਆ ਨਵੀਆਂ ਹੈ। ਉਨ੍ਹਾਂ ਹੇਤ ਜ਼ਿਲ੍ਹੇ ਮੁਹੱਈਆਂ ਤਿ ਨੂੰ

ਟੀਚੇ ਦਾ ਬੋਝ ਰ ਗਏ। ਇਸ ਜ਼ ਮੇਲਿਆਂ 'ਚ ਜ਼ਗਾਰਾਂ ਦੀ ਥਾਂ ਜ਼ਿਆਦਾ ਬੈਨਤੀਕਰਤਾਵਾਂ ਦੀ ਉਮੀਦ 'ਚ ਪ੍ਰਸ਼ਾਸਨ ਨੇ ਚਾਰ ਰੁਜ਼ਗਾਰ ਮੇਲੇ ਕਾਲਜ ਤੇ ਯੂਵੀਰਸਿਟੀ 'ਚ ਲਾਏ, ਜਿਸ ਨਾਲ ਉਨ੍ਹਾਂ ਨੂੰ 'ਬੇਰੁਜ਼ਗਾਰ' ਵਿਖਾਉਣ 'ਚ ਕੋਈ ਵੀ ਪਰੇਸ਼ਾਨੀ ਨਹੀਂ ਹੋਈ। ਉਧਰ ਦੂਜਾ ਫਾਇਦਾ ਕਾਲਜਾਂ ਤੇ ਯੂਨੀਵਰਸਿਟੀ ਦਾ ਹੈ ਗਿਆ, ਕਿਉਂਕਿ ਘਰੇ ਬੈਠੇ ਹੀ ਪ੍ਰਸ਼ਾਸਨ ਵੱਲੋਂ ਬੁਲਾਈਆਂ ਕੰਪਨੀਆਂ ਦੇ ਜ਼ਰੀਏ ਉਨ੍ਹਾਂ ਦੇ ਵਿਦਿਆਰਥੀਆਂ ਦੀ ਪੜ੍ਹਾਈ ਦੌਰਾਨ ਹੀ

ਪਲੇਸਮੈਂਟ ਹੈ ਗਈ।
ਕਈ ਵਾਰ ਗਿਣਿਆ ਗਿਆ ਇਕ
ਬੇਰੂਜਗਾਰ : ਪੰਜਾਬ ਸਰਕਾਰ ਦੇ
ਇੰਤੇ 12 ਹਜ਼ਾਰ ਦੇ ਅੰਕੜੇ ਤਕ ਪ੍ਰਚੰਦਣ
ਲਈ ਅਧਿਕਾਰੀਆਂ ਨੇ ਚੰਡੀਗੜ੍ਹ ਬੈਠੇ
ਅਧਿਕਾਰੀਆਂ ਦੀ ਅੱਖਾਂ 'ਚ ਜੰਮ ਕੇ
ਘੱਟਾ ਪਾਇਆ। ਮੋਲੇ 'ਚ ਜੰਕਰ ਇਕ
ਕੇਨਤੀਕਰਤਾ ਚਾਰ ਕੰਪਨੀਆਂ 'ਚ
ਇੰਟਰਵਿਊ ਦੇ ਰਿਹਾ ਸੀ ਤਾਂ ਉਸ ਨੂੰ ਚਾਰਾਂ
ਬਾਵਾਂ 'ਤੇ ਸ਼ਾਰਣਲਿਸਟ ਜਾਂ ਚੁਣ ਲਿਆ
ਗਿਆ ਤਾਂ ਪ੍ਰਸ਼ਾਸਨ ਦੀ ਗਿਣਤੀ 'ਚ ਉਹ

ਚਾਰ ਬਣ ਗਏ। ਅਸਲ 'ਚ ਪ੍ਰਸ਼ਾਸਨ ਮੇਲਾ ਖਤਮ ਹੋਣ ਤੋਂ ਬਾਅਦ ਕੰਪਨੀਆਂ ਵੱਲੋਂ ਚੁਣੇ ਗਏ ਬੇਨਤੀਕਰਤਾਵਾਂ ਦੀ ਲਿਸਟ ਲੈਂਦਾ ਹੈ। ਇਸ ਦੌਰਾਨ ਕਿਉਂਕਿ ਇਕ ਕੰਪਨੀ ਪਤਾ ਨਹੀਂ ਹੁੰਦਾ ਕਿ ਉਸ ਦੇ ਬੇਨਤੀਕਰਤਾ ਨੂੰ ਦੂਜੀ ਕੰਪਨੀ ਨੇ ਵੀ ਚੁਣ ਲਿਆ ਹੈ, ਇਸ ਲਈ ਉਹ ਇਕ ਹੀ ਬੇਨਤੀਕਰਤਾ ਹਰ ਕੰਪਨੀ ਦੇ ਖਾਤੇ 'ਚ ਗਿਣ ਲਿਆ ਜਾਂਦਾ ਹੈ।

ਜ਼ਮੀਨੀ ਪੱਧਰ 'ਤੇ ਚਾਹੇ ਨੌਕਰੀ ਮਿਲੇ ਜਾਂ ਨਾ ਮਿਲੇ, ਪਰ ਚੰਡੀਗੜ੍ਹ ਵਾਲੇ ਅਧਿਕਾਰੀ ਉਹ ਅੰਕੜੇ ਵੇਖ ਕੇ ਜ਼ਰੂਰ ਖੁਸ਼ ਹੋਣਗੇ ਤੇ ਸਰਕਾਰ ਚੋਣਾਂ ਦੇ ਮੌਸਮ 'ਚ ਘਰ-ਘਰ ਨੌਕਰੀ ਦੇਣ ਦੀ ਇਸ ਅੰਕੜੇਬਾਜ਼ੀ ਦੀ ਖੇਡ ਦੀ ਚੰਗੀ ਫਸਲ ਜ਼ਰੂਰ ਕੱਟ ਲਵੇਗੀ। ਜ਼ਿਲ੍ਹਾ ਚੁਜ਼ਗਾਰ ਬਿਊਰੋ ਦੀ ਡਿਪਟੀ ਡਾਇਰੈਕਟਰ ਸੁਨੀਤਾ ਕਲਿਆਣ ਨੇ ਕਿਹਾ ਕਿ ਪਹਿਲਾਂ ਵੀ ਬੇਨਤੀਕਰਤਾਵਾਂ ਦਾ ਰਜਿਸਟ੍ਰੇਸ਼ਨ ਕਰਦੇ ਹਨ ਤੇ ਫਿਰ ਕੰਪਨੀ ਤੋਂ ਰਿਪੋਰਟਰ ਲੈਂਦੇ ਹਨ ਕਿ ਕਿੰਨੇ ਨੌਜਵਾਨਾਂ ਨੂੰ ਨੌਕਰੀ ਦਿੱਤੀ ਗਈ ਹੈ।

Public Notice

General Public that M/s Triworld Developers has been granted Environmental Clearance by State Level Environment Impact Assessment Authority (SEIAA), Punjab for the development of the 'Group Housing Project' which is located at 66 ft. road, Village Kadianwali (H.B No. 292) Jalandhar, Punjab vide Letter No. DECC/SEIAA/2019/828/ 114 dated 29.08.2019 through our Environmental Consultant "M/s Eco Laboratories & Consultants Pvt. Ltd., Mohali. The copy of the Environmental Clearance along with the conditions to be complied is available with Environmental Clearance portal and with the Project proponent. The interested person (s) can contact either of the two

M/s.Triworld Developers 66 ft. road, Village Kadianwall (H.B No.292), Jalandhar, Punjab.

M/s. Eco Laboratories & Consultants Pvt. Ltd. E-207, Industrial Area, Phase VIII-B, Sector-74, Mohali, Punjab

